

Author Index

A

Adani R, 564
Aguillon A, 633
Akin S, 51
Aköz T, 37
Alagöz MŞ, 63
Ali SN, 221
Al Khayal Z, 468
Allen RJ, 23
Al-Qattan MM, 257
Altinyazar C, 570
Altunkaya H, 570
Alves MCA, 236
Anastassov YC, 527
Armstrong M, 126
Arslan A, 435
Aslan G, 224
Ateş L, 224
Attinger CE, 210
Avci G, 37

B

Baack BR, 415
Babucçu O, 570
Baccarani A, 205
Baguley P, 552
Banic A, 353
Ban R, 290
Barone FE, 91
Bazán A, 455
Beausang ES, 561
Benuzzi G, 439
Bernatzky G, 493
Bernd L, 266
Bhathena HM, 283
Bianco G, 205
Bocchi A, 205
Boice JD Jr, 339
Bollag RJ, 499
Borke JL, 499
Boyd JB, 141
Boydston W, 167
Brandon HJ, 335
Breitbart AS, 409
Brown DH, 561
Brown RE, 189
Bruener S, 147
Bruno JR, 333
Buchehe BA, 332
Buchner M, 266
Burkart P, 517
Burstein FD, 167

C

Canal ACE, 345
Can Z, 419
Carroll KL, 593
Carù A, 390

Castagnetti C, 564
Castagnetti F, 205
Çelik M, 434
Çenetoğlu S, 223
Chana JS, 429
Chandler PJ Jr, 358
Chang K-P, 372
Chang S-M, 177
Cheng CWA, 155
Chen H-c, 429, 627
Chen J-R, 499
Cherington M, 525
Chevray PM, 97
Chia S-J, 155
Chikwe J, 345
Cho BH, 636
Choudhari C, 283, 450
Choudhary S, 221
Chuenkongkaew T, 223
Chung JS, 446
Chung KC, 325, 569
Chung YK, 57, 478
Chun JK, 17
Cicchetti S, 229
Clair DG, 308
Clarke HM, 265
Clugston P, 472
Coert JH, 224, 526
Cohen SR, 167
Coskunfirat OK, 603
Costa MP, 1
Cruse CW, 69
Cunha-Gomes D, 283, 450
Cunha MS, 1
Curtin CM, 325

D

Daane S, 593
Da Lio AL, 361
Da Rocha MAD, 236
Davison S, 465
de la Torre JJ, 10
Dellavia C, 390
Dellon AL, 6
Demirseren ME, 419
Demirtas Y, 223
Desai PB, 283
Diaz J, 126
DiFrancesco LM, 517
Disa JJ, 110
Don D, 161
Do NN, 499
Ducic I, 540
Dumanian GA, 75

E

Eismont F, 126
Eladomikdachi F, 115, 607
Elahi MM, 509

El-Mrakby HH, 222
Emekll U, 435
Engel H, 84
Eo SR, 636
Erçöçen AR, 366
Er E, 301
Ergün SS, 225, 584
Erni D, 353
Evans GRD, 173

F

Fadul Jr R, 236
Fels KW, 1
Feng G-m, 429
Ferrario VF, 390
Ferreira LM, 236
Ferreira MC, 1
Fix RJ, 10
Foo C-L, 155
Fox JW, 528
Friis S, 531
Fryzek JP, 531
Fujii T, 77
Fukumoto K, 273
Fukunaga J, 77
Funk S, 493
Fussenegger M, 493
Futran ND, 136

G

Gangwal S, 283
Garcia-Tutor E, 455
Gardetto A, 505
Gardner PM, 10
Gater DR, 325
Gear AJL, 103
Gebhard MM, 84
Georgiou PN, 225
Germann G, 84, 147
Gilbert R, 561
Glat PM, 509
Gmür RU, 353
Gökrem S, 419
Goldberg EP, 334
Grande DA, 409
Grant III JH, 10
Grant RT, 409
Groenewegen JS, 243
Guerra A, 23
Gullane PJ, 561
Gurunluoglu R, 505
Gu Y-D, 177

H

Haas F, 45, 376
Hagstrom M, 173
Hallock GG, 398, 403, 460, 617, 623, 630

Han S-K, 587
Harpf C, 505
Hashem FK, 468
Hata Y, 278
Havlik RJ, 333
Hayashi N, 366
Heckler F, 465
Heitmann C, 23, 84
Hellinger M, 126
Hemminki E, 339
Henriksen TF, 531
Hess CL, 210
Hirase Y, 273
Höbbling W, 493
Hodgson ELB, 345
HoeHN JG, 517
Hollenbeck ST, 547
Hölmich LR, 531
Honda T, 366
Hong JP, 57, 478
Hong S-W, 155
Honuter M, 570
Hopper RA, 598
Hosokawa K, 130
Hovi S-L, 339
Howard MA, 210
Hoyer AP, 531
Hruza GJ, 336
Hubmer M, 45, 376
Hudgins R, 167
Hui K, 556
Hurt MA, 336

I

Ichioke S, 383
Ikeda CJ, 173
Irish JC, 561
Isales CM, 499
Ishii R, 194
Itoh S, 579
Ito O, 278

J

Jeong EC, 636
Jerina KL, 335
Jung SH, 478
Jurado M, 455

K

Kagawa T, 77
Kano M, 423
Kanou M, 77
Kargi E, 570
Kasper CS, 358
Kastell T, 84
Katircioglu A, 419
Kavarana NM, 283, 450
Kawai K, 513

Author Index

A

Adani R, 564
Aguillon A, 633
Akin S, 51
Aköz T, 37
Alagöz MŞ, 63
Ali SN, 221
Al Khayal Z, 468
Allen RJ, 23
Al-Qattan MM, 257
Altinyazar C, 570
Altunkaya H, 570
Alves MCA, 236
Anastassov YC, 527
Armstrong M, 126
Arslan A, 435
Aslan G, 224
Ateş L, 224
Attinger CE, 210
Avci G, 37

B

Baack BR, 415
Babucçu O, 570
Baccarani A, 205
Baguley P, 552
Banic A, 353
Ban R, 290
Barone FE, 91
Bazán A, 455
Beausang ES, 561
Benuzzi G, 439
Bernatzky G, 493
Bernd L, 266
Bhathena HM, 283
Bianco G, 205
Bocchi A, 205
Boice JD Jr, 339
Bollag RJ, 499
Borke JL, 499
Boyd JB, 141
Boydston W, 167
Brandon HJ, 335
Breitbart AS, 409
Brown DH, 561
Brown RE, 189
Bruener S, 147
Bruno JR, 333
Buchehe BA, 332
Buchner M, 266
Burkart P, 517
Burstein FD, 167

C

Canal ACE, 345
Can Z, 419
Carroll KL, 593
Carù A, 390

Castagnetti C, 564
Castagnetti F, 205
Çelik M, 434
Çenetoğlu S, 223
Chana JS, 429
Chandler PJ Jr, 358
Chang K-P, 372
Chang S-M, 177
Cheng CWA, 155
Chen H-c, 429, 627
Chen J-R, 499
Cherington M, 525
Chevray PM, 97
Chia S-J, 155
Chikwe J, 345
Cho BH, 636
Choudhari C, 283, 450
Choudhary S, 221
Chuenkongkaew T, 223
Chung JS, 446
Chung KC, 325, 569
Chung YK, 57, 478
Chun JK, 17
Cicchetti S, 229
Clair DG, 308
Clarke HM, 265
Clugston P, 472
Coert JH, 224, 526
Cohen SR, 167
Coskunfirat OK, 603
Costa MP, 1
Cruse CW, 69
Cunha-Gomes D, 283, 450
Cunha MS, 1
Curtin CM, 325

D

Daane S, 593
Da Lio AL, 361
Da Rocha MAD, 236
Davison S, 465
de la Torre JJ, 10
Dellavia C, 390
Dellon AL, 6
Demirseren ME, 419
Demirtas Y, 223
Desai PB, 283
Diaz J, 126
DiFrancesco LM, 517
Disa JJ, 110
Don D, 161
Do NN, 499
Ducic I, 540
Dumanian GA, 75

E

Eismont F, 126
Eladomikdachi F, 115, 607
Elahi MM, 509

El-Mrakby HH, 222
Emekll U, 435
Engel H, 84
Eo SR, 636
Erçöçen AR, 366
Er E, 301
Ergün SS, 225, 584
Erni D, 353
Evans GRD, 173

F

Fadul Jr R, 236
Fels KW, 1
Feng G-m, 429
Ferrario VF, 390
Ferreira LM, 236
Ferreira MC, 1
Fix RJ, 10
Foo C-L, 155
Fox JW, 528
Friis S, 531
Fryzek JP, 531
Fujii T, 77
Fukumoto K, 273
Fukunaga J, 77
Funk S, 493
Fussenegger M, 493
Futran ND, 136

G

Gangwal S, 283
Garcia-Tutor E, 455
Gardetto A, 505
Gardner PM, 10
Gater DR, 325
Gear AJL, 103
Gebhard MM, 84
Georgiou PN, 225
Germann G, 84, 147
Gilbert R, 561
Glat PM, 509
Gmür RU, 353
Gökrem S, 419
Goldberg EP, 334
Grande DA, 409
Grant III JH, 10
Grant RT, 409
Groenewegen JS, 243
Guerra A, 23
Gullane PJ, 561
Gurunluoglu R, 505
Gu Y-D, 177

H

Haas F, 45, 376
Hagstrom M, 173
Hallock GG, 398, 403, 460, 617, 623, 630

Han S-K, 587
Harpf C, 505
Hashem FK, 468
Hata Y, 278
Havlik RJ, 333
Hayashi N, 366
Heckler F, 465
Heitmann C, 23, 84
Hellingner M, 126
Hemminki E, 339
Henriksen TF, 531
Hess CL, 210
Hirase Y, 273
Höbbling W, 493
Hodgson ELB, 345
Hoeht JG, 517
Hollenbeck ST, 547
Hölmich LR, 531
Honda T, 366
Hong JP, 57, 478
Hong S-W, 155
Honuter M, 570
Hopper RA, 598
Hosokawa K, 130
Hovi S-L, 339
Howard MA, 210
Hoyer AP, 531
Hruza GJ, 336
Hubmer M, 45, 376
Hudgins R, 167
Hui K, 556
Hurt MA, 336

I

Ichioke S, 383
Ikeda CJ, 173
Irish JC, 561
Isales CM, 499
Ishii R, 194
Itoh S, 579
Ito O, 278

J

Jeong EC, 636
Jerina KL, 335
Jung SH, 478
Jurado M, 455

K

Kagawa T, 77
Kano M, 423
Kanou M, 77
Kargi E, 570
Kasper CS, 358
Kastell T, 84
Katircioglu A, 419
Kavarana NM, 283, 450
Kawai K, 513

Kawazoe T, 278
 Kent KC, 308
 Keskimäki I, 339
 Keslm SN, 435
 Kikuchi N, 290
 Kim DY, 636
 Kim KS, 636
 Kim S, 465
 Kim W-K, 587
 Kim Y-K, 249
 Kjoller K, 531
 Kleinman LC, 446
 Koch H, 45, 376
 Kojima T, 273
 Komninakis E, 225
 Kondoh S, 290
 Kondo S, 321
 Kono T, 366
 Koschnick M, 147
 Koshima I, 30, 194, 200, 579
 Kovanlikaya A, 161
 Kubo T, 130
 Kullich W, 493
 Kulmala I, 339
 Küntscher MV, 84
 Kurashina R, 423
 Kushima H, 321
 Kwon H, 478

L

Lacey M, 103
 Lai C-S, 372
 Lamb S, 472
 Lam SM, 249
 Laser J, 409
 Latrenta GS, 547
 Lee A, 103
 Lee H-B, 57
 Lee S-J, 57
 Lee S-S, 372
 Lee SY, 636
 Le HN, 351
 Lei M-P, 488
 Levin LS, 23
 Li J-F, 177
 Lineaweaver WC, 488, 556
 Lin S-D, 372
 Lin T-m, 372
 Lipa JE, 561
 Lipworth L, 339
 Loewen P, 472
 Long JN, 621
 Low M, 540
 Lynch MJ, 17

M

Malata, CM, 345
 Manktelow MT, 141
 Marcoccio I, 564
 Mardini S, 627
 Marotta JS, 334

Marx RE, 333
 Mason JM, 409
 Matsuo K, 290
 Matsuo Y, 130
 McDonald WS, 126
 McHugh PM, 115
 McKay D, 561
 McLaughlin E, 633
 McLaughlin JK, 335, 339, 531
 Meed MF, 526
 Meek MF, 224
 Mehrara BJ, 361
 Meinhart J, 493
 Mera JG, 161
 Mess SA, 465
 Metzinger SW, 23
 Misu H, 273
 Mizukawa N, 77
 Mochizuki Y, 423
 Mohan D, 552
 Monstrey S, 525
 Moody BR, 336
 Morain WD, 112, 219, 432, 523, 643

Moshammer HET, 376
 Motomura H, 314
 Mowlavi A, 189
 Mullis WF, 528
 Muneuchi G, 278, 513
 Muraoka M, 314, 641
 Murillo J, 455
 Murphy RX Jr, 446

N

Nahabedian MY, 123
 Naitoh M, 513
 Nakai K, 130
 Nakatsuka T, 383
 Nakazawa H, 366
 Nanba Y, 30, 194, 200
 Nanhekhan LV, 182
 Neligan PC, 561
 Nelson MD, 161
 Netscher DT, 115, 607
 Neumann HAM, 243
 Newman MI, 308
 Nicolò G, 229
 Nişanci M, 301
 Nolan WB, 308
 Nose K, 314
 Nozaki M, 366

O

Ohura N, 383
 Okazaki M, 423
 Olsen JH, 531
 Önel D, 435
 Onodera M, 278
 Osada Y, 321
 Oswald T, 488
 Özdemir OM, 419

Özgentas HE, 603
 Özkan Ö, 603

P

Paige KT, 167
 Palmieri B, 439
 Papadia F, 205
 Park S, 278
 Parrett B, 409
 Pearl CB, 633
 Peled JJ, 222
 Persichetti P, 222
 Pickus E, 556
 Pierer G, 376
 Platt AJ, 552
 Porti D, 409
 Por Y-C, 155
 Poultsides GA, 17
 Pukkala E, 339
 Pu LLQ, 69
 Purushotham AD, 345

R

Rajendraprasad JS, 283
 Rappl T, 45
 Reed JF III, 446
 Reid RR, 75
 Reineke T, 243
 Reintgen DS, 69
 Reynolds N, 337
 Rice DC, 398, 403
 Rieck B, 294
 Robertson JD, 10
 Rockwell WB, 593
 Rodriguez LF, 556
 Ross DC, 141
 Ruberg RL, 330
 Ruiz-de-Erenchun R, 455

S

Şahinoğlu K, 584
 Sakae E, 1
 Sano K, 398, 403
 Santamaria E, 627
 Santi PL, 229
 Santoro T, 361
 Santos RA, 236
 Sarwer DB, 343
 Saso Y, 278
 Scharf JE, 136
 Scharnagl E, 45, 376
 Schlaak S, 294
 Schroeter CA, 243
 Schwabegger AH, 505
 Seibert FJ, 376
 Sekiya N, 383
 Selvaggi G, 525
 Semple JL, 598
 Senchenkov A, 91
 Şengezer M, 301

Şensöz Ö, 63
 Sereel S, 419
 Sforza C, 390
 Shafighi M, 505
 Shaw WW, 361
 Shibata M, 383
 Shipkov CD, 527
 Shons AR, 69
 Siemionow M, 182
 Simmons RM, 547
 Simms C, 167
 Singh NK, 97
 Smith A, 361
 Soltero E, 115
 Spear SL, 540
 Spina B, 229
 Stack Jr BC, 136
 Stern D, 333
 Sugahara T, 77
 Suzuki S, 278, 513

T

Takahashi Y, 30, 194, 200, 579
 Tan B-K, 155
 Tan K-C, 155
 Tarallo L, 564
 Teng N, 556
 Terzioğlu A, 224
 Thaller S, 126
 Thomford NR, 91
 Thornby J, 115
 Toth BA, 351
 Tsutsui T, 30, 194, 200, 579
 Tüccar E, 63
 Türegün M, 301

U

Ueno T, 77
 Upton J, 611
 Uysal AÇ, 63

V

Vásconez LO, 10, 621
 Vizzotto L, 390
 Vogel JE, 319
 Vyas JJ, 283

W

Wagle N, 499
 Wagner JD, 415
 Wan J, 161
 Watanabe A, 194
 Watson JP, 361
 Watson ME, 335
 Wells KE, 69
 Wells MT, 141
 Wirth GA, 173
 Wolf CJ, 335
 Woodberry KM, 332

Woodhouse K, 598
Wright PK, 528

Y

Yabe T, 641
Yamaguchi T, 273

Yamamoto T, 77
Yang Y-L, 372
Yano K, 130
Yarnell PR, 525
Yildirim S, 37
Yoon E-S, 587
Young VL, 335

Yu J, 633
Yu JC, 499
Yuzuriha S, 290, 321

Z

Zakhireh M, 593

Zang B, 136
Zani R, 236
Zeifang F, 266
Zhang F, 488, 556
Zhu C, 488

Subject Index

A

Abdominal fat

- is it safe to combine abdominoplasty with other dermolipectomy procedures to correct skin excess after weight loss? (Gmür et al), 2003;51:353
- regional differences in ultrasonic assessment of subcutaneous fat thickness in the abdomen: effects on the TRAM flap (Yano et al), 2003;51:130

Abdominal wall defects

- abdominal wall reconstruction with the free tensor fascia lata musculofasciocutaneous flap using intraperitoneal gastroepiploic recipient vessels (Chevray et al), 2003;51:97 (Case report)
- abdominoplasty repair for abdominal wall hernias (Robertson et al), 2003;51:10
- circumferential mesh in abdominal wall reconstruction (Palmieri et al), 2003;51:439
- full-thickness abdominal wall reconstruction in the rabbit model (Disa), 2003;51:110 (Invited discussion)

Abductor hallucis muscle

- distally based abductor hallucis muscle flap: anatomic basis and clinical application (Schwabegger et al), 2003;51:505 (Case report)

Achilles tendon

- reconstruction of combined defects of the Achilles tendon and the overlying soft tissue with a fascia lata graft and a free fasciocutaneous lateral arm flap (Haas et al), 2003;51:376

Adipocytes. *See also* Fat

- in vivo tracking of rat preadipocytes after autologous transplantation (Rieck et al), 2003;51:294

Alveolopalatal wounds

- dressings for alveolopalatal wounds after alveolar bone grafting (Kondoh et al), 2003;51:290

Amputation

- long-term results of replantation for complete ring avulsion amputations (Adani et al), 2003;51:564
- long-term results of replantation for complete ring avulsion amputations (Chung), 2003;51:569 (Invited discussion)
- reconstruction of fingertip and stump using a composite graft from the hypothenar region (Hong et al), 2003;51:57
- tendon function after replantation: prognostic factors and strategies to enhance total active motion (Ross et al), 2003;51:141

Anatomy

- distally based abductor hallucis muscle flap: anatomic basis and clinical application (Schwabegger et al), 2003;51:505 (Case report)
- facial nerve in rhytidoplasty: anatomic study

of its trajectory in the overlying skin and the most common sites of injury (Zani et al), 2003;51:236

thoracodorsal artery perforator flap: anatomic basis and clinical application (Heitmann et al), 2003;51:23

three-dimensional nasal morphology in cleft lip and palate operated adult patients (Ferrario et al), 2003;51:390

vascular anatomy of the metacarpal bones and the interosseous muscles (Uysal et al), 2003;51:63

Animal models. *See also* specific animals

accelerated diabetic wound healing using cultured dermal fibroblasts retrovirally transduced with the platelet-derived growth factor B gene (Breitbart et al), 2003;51:409

comparison of venous drainage in reverse-flow island flaps: an experimental study of the rabbit saphenous fasciocutaneous flap (Chang et al), 2003;51:177

effect of hyperbaric oxygen on ischemia-reperfusion injury: experimental study in a rat musculocutaneous flap (Hong et al), 2003;51:478

full-thickness abdominal wall reconstruction in the rabbit model (Disa), 2003;51:110 (Invited discussion)

in vivo tracking of rat preadipocytes after autologous transplantation (Rieck et al), 2003;51:294

late remote ischemic preconditioning in rat muscle and adipocutaneous flap models (Küntschner et al), 2003;51:84

microcirculatory hemodynamics of the rat cremaster muscle flap in reduced blood flow states (Nanhekan et al), 2003;51:182

new experimental flap model: free muscle perforator flap (Özkan et al), 2003;51:603

porcine small intestinal submucosa as a carrier for skin flap prefabrication (Zhang et al), 2003;51:488

regeneration of the mandibular head from grafted periosteum (Ueno et al), 2003;51:77

response to letter by Dr. Yavuzer (Meek et al), 2003;51:224 (Letter)

stabilized autologous fibrin-chondrocyte constructs for cartilage repair in vivo (Fussenecker et al), 2003;51:493

tension-induced reduction in connexin 43 expression in cranial sutures is linked to transcriptional regulation by TBX2 (Borke et al), 2003;51:499

venous "supercharging" augments survival of the delayed rat TRAM flap (Sano et al), 2003;51:398

vertical midline scar is a high-risk factor for maximum survival of the rat TRAM flap (Sano et al), 2003;51:403

Ankle. *See* Foot and ankle

Anterior interosseous artery

V-Y advancement island flap based on the perforator of the anterior interosseous artery (Akin), 2003;51:51

Anticoagulation

management strategy for compartment syndrome of the upper extremity arising during anticoagulation or thrombolytic therapy: an increasingly common surgical dilemma (Newman et al), 2003;51:308 (Case report)

Antiemetics

randomized, double-blind trial of dolasetron versus droperidol for prophylaxis of postoperative nausea and vomiting in patients undergoing TRAM flap breast reconstruction surgery (Loewen et al), 2003;51:472

Antiphospholipid antibody syndrome

cutaneous manifestation of antiphospholipid antibody syndrome (DiFrancesco et al), 2003;51:517 (Case report)

Arm. *See* Forearm; Upper extremity

Arm flaps

reconstruction of combined defects of the Achilles tendon and the overlying soft tissue with a fascia lata graft and a free fasciocutaneous lateral arm flap (Haas et al), 2003;51:376

Arteriovenous malformation

free perforator flap for the treatment of defects after resection of huge arteriovenous malformations in the head and neck regions (Koshima et al), 2003;51:194 (Case report)

Artificial dermis

regenerative surgery for sacral pressure ulcers using collagen matrix substitute dermis (artificial dermis) (Ichioka et al), 2003;51:383

Asian patients

augmentation rhinoplasty of the Asian nose with the "bird" silicone implant (Lam et al), 2003;51:249

flashlamp-pumped pulsed dye laser (585 nm) treatment of hypertrophic scars in Asians (Kono et al), 2003;51:366

Audiological examination

clinical, radiological, and audiological relationships in hemifacial microsomia (Wan et al), 2003;51:161

Autonomic dysreflexia

autonomic dysreflexia: a plastic surgery primer (Curtin et al), 2003;51:325 (Review article)

B

Back

distal trapezius musculocutaneous flap for upper thoracic back wounds associated with spinal instrumentation and radiation (Chun et al), 2003;51:17

reconstruction after extirpation of sacral

- malignancies (Diaz et al), 2003;51:126
- silicone gel breast implant rupture presenting as a fluctuant back mass after latissimus dorsi breast reconstruction (Baack et al), 2003;51:415 (Case report)
- thoracodorsal artery perforator flap: anatomic basis and clinical application (Heitmann et al), 2003;51:23
- Baclofen**
- implantable baclofen pump as an adjuvant in treatment of pressure sores (Mess et al), 2003;51:465
- Biomaterials.** See also Implants and prostheses
- acellularization of human placenta with preservation of the basement membrane: potential matrix for tissue engineering (Hopper et al), 2003;51:598
- advantages of the presence of living dermal fibroblasts within Restylane for soft tissue augmentation, 2003;51:587
- augmentation rhinoplasty of the Asian nose with the "bird" silicone implant (Lam et al), 2003;51:249
- circumferential mesh in abdominal wall reconstruction (Palmieri et al), 2003;51:439
- porcine small intestinal submucosa as a carrier for skin flap prefabrication (Zhang et al), 2003;51:488
- Re: Invited discussion of silicone gel breast implant failure: evaluation of properties of shells and gels for explanted prostheses and meta-analysis of literature rupture data (Goldberg et al), 2003;51:334 (Letter)
- Re: osteosynthesis in digital replantation using bioabsorbable rods (Meed et al), 2003;51:526 (Letter)
- regenerative surgery for sacral pressure ulcers using collagen matrix substitute dermis (artificial dermis) (Ichioka et al), 2003;51:383
- use of silicone block as a pellet in the treatment of minor malocclusion (Ergün), 2003;51:225 (Letter)
- Blood supply.** See also Tissue perfusion
- comparison of venous drainage in reverse-flow island flaps: an experimental study of the rabbit saphenous fasciocutaneous flap (Chang et al), 2003;51:177
- vascular anatomy of the metacarpal bones and the interosseous muscles (Uysal et al), 2003;51:63
- vascular compromise of the pectoralis major musculocutaneous flap in head and neck reconstruction (Cunha-Gomes et al), 2003;51:450
- Body mass index**
- effect of body mass index and wound irrigation on outcome after bilateral breast reduction (Platt et al), 2003;51:552
- Bone**
- Re: a simple method for cranial bone chip harvesting (Çelik), 2003;51:434 (Letter)
- regeneration of the mandibular head from grafted periosteum (Ueno et al), 2003;51:77
- Bone grafts**
- dressing for alveolopalatal wounds after alveolar bone grafting (Kondoh et al), 2003;51:290
- extra-articular ankylosis of the mandible caused by possible migration of bone grafts (Emekli et al), 2003;51:435 (Letter)
- vascular anatomy of the metacarpal bones and the interosseous muscles (Uysal et al), 2003;51:63
- Bone tumors**
- medial gastrocnemius muscle flap in limb-sparing surgery of malignant bone tumors of the proximal tibia: mid-term results in 25 patients (Buchner et al), 2003;51:266
- Book reviews**
- Cosmetic Dermatology, Principles & Practice*, by Baumann (Buchele), 2003;51:332 (Book review)
- Forged by the Knife: The Experiences of Surgical Residency From the Perspective of a Woman of Color*, by Dawson (Woodberry), 2003;51:332 (Book review)
- Oral and Maxillofacial Pathology: A Rationale for Diagnosis and Treatment*, by Marx et al (Bruno), 2003;51:333 (Book review)
- Principles of Nasal Reconstruction*, by Baker et al (Havlik), 2003;51:333 (Book review)
- Brachial plexus injury**
- obstetric brachial plexus palsy associated with breech delivery (Al-Qattan), 2003;51:257
- obstetric brachial plexus palsy associated with breech delivery (Clarke), 2003;51:265 (Invited discussion)
- Breast cancer**
- application of the LeJourn vertical mammoplasty pattern for skin-sparing mastectomy: preliminary report (Malata et al), 2003;51:345
- application of the LeJourn vertical mammoplasty pattern for skin-sparing mastectomy (Toth et al), 2003;51:351 (Invited discussion)
- areola-sparing mastectomy with immediate breast reconstruction (Simmons et al), 2003;51:547
- Breast implants**
- causes of death among Finnish women with cosmetic breast implants, 1971–2001 (Pukkala et al), 2003;51:339
- causes of death among Finnish women with cosmetic breast implants, 1971–2001 (Sarwer), 2003;51:343 (Invited discussion)
- frequency and distribution of talc contamination in patients with silicone gel-filled breast implants (Chandler et al), 2003;51:358, 2003
- incidence and severity of short-term complications after breast augmentation (Henriksen et al), 2003;51:531
- the mother of all myths (Morain), 2003;51:645 (Editorial)
- Re: Invited discussion of silicone gel breast implant failure: evaluation of properties of shells and gels for explanted prostheses and meta-analysis of literature rupture data (Goldberg et al), 2003;51:334 (Letter)
- revision augmentation mastopexy: indications, operations, and outcomes (Spear et al), 2003;51:540
- silicone gel breast implant rupture presenting as a fluctuant back mass after latissimus dorsi breast reconstruction (Baack et al), 2003;51:415 (Case report)
- Trilucent breast implants: five years' experience from an Italian perspective (Cicchetti et al), 2003;51:229
- Breast reconstruction.** See Mammoplasty, reconstructive
- Breast reduction.** See Mammoplasty, reduction
- Burns**
- oral burn contractures in children (Hashem et al), 2003;51:468
- Re: ball lightning injuries (Cherington et al), 2003;51:525 (Letter)
- review of emergency department fluid resuscitation of burn patients transferred to a regional, verified burn center (Hagstrom et al), 2003;51:173

C

Cartilage

- correction of atrophic nasal ala by sandwiching an auricular cartilage graft between para-alar and nasal floor retrogressive flaps (Suzuki et al), 2003;51:513 (Case report)
- stabilized autologous fibrin-chondrocyte constructs for cartilage repair in vivo (Fussenecker et al), 2003;51:493

Case reports

- abdominal wall reconstruction with the free tensor fascia lata musculofasciocutaneous flap using intraperitoneal gastroepiploic recipient vessels (Chevray et al), 2003;51:97 (Case report)
- bilateral frontozygomatic dermoid cysts (Elahi et al), 2003;51:509 (Case report)
- correction of atrophic nasal ala by sandwiching an auricular cartilage graft between para-alar and nasal floor retrogressive flaps (Suzuki et al), 2003;51:513 (Case report)
- cutaneous manifestation of antiphospholipid antibody syndrome (DiFrancesco et al), 2003;51:517 (Case report)
- distally based abductor hallucis muscle flap: anatomic basis and clinical application (Schwabegger et al), 2003;51:505 (Case report)

eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Motomura et al), 2003;51:314 (Case report)

free gluteal artery perforator flap with a short, small perforator (Koshima et al), 2003;51:200 (Case report)

free perforator flap for the treatment of defects after resection of huge arteriovenous malformations in the head and neck regions (Koshima et al), 2003;51:194 (Case report)

hatchet-shaped tensor fascia lata musculocutaneous flap for coverage of trochanteric pressure sores: a new modification (Demirseren et al), 2003;51:419 (Case report)

management strategy for compartment syndrome of the upper extremity arising during anticoagulation or thrombolytic therapy: an increasingly common surgical dilemma (Newman et al), 2003;51:308 (Case report)

new method for vaginal reconstruction using a pedicled jejunal flap (Chen et al), 2003;51:429 (Case report)

reconstruction of an extensive thigh defect with the paramedian TRAM flap (Senchenkov et al), 2003;51:91 (Case report)

reconstruction of an inner layer defect of the upper eyelid with avulsion of the superior levator palpebrae muscle and orbital fat (Kushima et al), 2003;51:321 (Case report)

reconstruction of the middle and lower face with three simultaneous free flaps: combined use of bilateral fibular flaps for maxillomandibular reconstruction (Nişanci et al), 2003;51:301 (Case report)

silicone gel breast implant rupture presenting as a fluctuant back mass after latissimus dorsi breast reconstruction (Baack et al), 2003;51:415 (Case report)

suction lipectomy during flap reconstruction provides immediate and safe debulking of the skin island (Mowlavi et al), 2003;51:189 (Case report)

temporal dermoids: three cases and a modified treatment algorithm (Lacey et al), 2003;51:103 (Case report)

two-stage reconstruction of infected deep median sternotomy wound with an intercostal pedicled oblique rectus abdominis musculocutaneous flap after coronary artery bypass grafting (Mochizuki et al), 2003;51:423 (Case report)

Charged flaps. See Flaps, charged

Cleft lip and palate

three-dimensional nasal morphology in cleft lip and palate operated adult patients (Ferrario et al), 2003;51:390

Clinical trials

effect of steroids on edema, ecchymosis, and intraoperative bleeding in rhinoplasty (Kargi et al), 2003;51:570

randomized, double-blind trial of dolasetron versus droperidol for prophylaxis of postoperative nausea and vomiting in patients undergoing TRAM flap breast reconstruction surgery (Loewen et al), 2003;51:472

Compartment syndrome

management strategy for compartment syndrome of the upper extremity arising during anticoagulation or thrombolytic therapy: an increasingly common surgical dilemma (Newman et al), 2003;51:308 (Case report)

Computed tomography (CT)

clinical, radiological, and audiological relationships in hemifacial microsomia (Wan et al), 2003;51:161

predicting the risk of reoperation in metopic synostosis: a quantitative CT scan analysis (Paige et al), 2003;51:167

Computer applications

initial experience with personal digital assistant-based reflectance photoplethysmograph for free tissue transfer monitoring (Stack et al), 2003;51:136

Connexin 43

tension-induced reduction in connexin 43 expression in cranial sutures is linked to transcriptional regulation by TBX2 (Borke et al), 2003;51:499

Contractures

oral burn contractures in children (Hashem et al), 2003;51:468

response to Pan et al., microarray gene analysis and expression profiles of Dupuytren's contracture (Wright et al), 2003;51:528 (Letter)

Coronary artery bypass grafting

sternal wound debridement and muscle flap reconstruction: functional implications (Netscher et al), 2003;51:115

sternal wound debridement and muscle flap reconstruction (Nahabedian), 2003;51:123 (Invited discussion)

two-stage reconstruction of infected deep median sternotomy wound with an intercostal pedicled oblique rectus abdominis musculocutaneous flap after coronary artery bypass grafting (Mochizuki et al), 2003;51:423 (Case report)

Corticosteroids

effect of steroids on edema, ecchymosis, and intraoperative bleeding in rhinoplasty (Kargi et al), 2003;51:570

Cranial bone harvesting

Re: a simple method for cranial bone chip harvesting (Çelik), 2003;51:434 (Letter)

Craniofacial disorders

bilateral frontozygomatic dermoid cysts (Elahi et al), 2003;51:509 (Case report)

clinical, radiological, and audiological relationships in hemifacial microsomia (Wan et al), 2003;51:161

predicting the risk of reoperation in metopic synostosis: a quantitative CT scan analysis (Paige et al), 2003;51:167

temporal dermoids: three cases and a modified treatment algorithm (Lacey et al), 2003;51:103 (Case report)

Cremaster muscle

microcirculatory hemodynamics of the rat cremaster muscle flap in reduced blood flow states (Nanhekan et al), 2003;51:182

D

Deep inferior epigastric artery

deep inferior epigastric artery perforator flaps in head and neck reconstruction (Beausang et al), 2003;51:561

Dermatology

Cosmetic Dermatology. Principles & Practice, by Baumann (Buchele), 2003;51:332 (Book review)

cutaneous manifestation of antiphospholipid antibody syndrome (DiFrancesco et al), 2003;51:517 (Case report)

Dermoids

bilateral frontozygomatic dermoid cysts (Elahi et al), 2003;51:509 (Case report)

temporal dermoids: three cases and a modified treatment algorithm (Lacey et al), 2003;51:103 (Case report)

Device failure

Re: Invited discussion of silicone gel breast implant failure: evaluation of properties of shells and gels for explanted prostheses and meta-analysis of literature rupture data (Goldberg et al), 2003;51:334 (Letter)

silicone gel breast implant rupture presenting as a fluctuant back mass after latissimus dorsi breast reconstruction (Baack et al), 2003;51:415 (Case report)

Devices and equipment. See also Implants and prostheses

improving recipient vessel exposure during microvascular breast reconstruction (Mehra et al), 2003;51:361

inexpensive self-retaining retractor for minor surgical procedures (Pearl et al), 2003;51:633

initial experience with personal digital assistant-based reflectance photoplethysmograph for free tissue transfer monitoring (Stack et al), 2003;51:136

ligated punctured expanders: are they clinically safe? (Aslan et al), 2003;51:224 (Letter)

Dexamethasone

effect of steroids on edema, ecchymosis, and intraoperative bleeding in rhinoplasty (Kargi et al), 2003;51:570

Diabetic wounds

accelerated diabetic wound healing using cultured dermal fibroblasts retrovirally transduced with the platelet-derived growth factor B gene (Breitbart et al), 2003;51:409

DNA microarray analysis

response to Pan et al., microarray gene analysis and expression profiles of Dupuytren's contracture (Wright et al), 2003;51:528 (Letter)

Dolasetron

randomized, double-blind trial of dolasetron versus droperidol for prophylaxis of postoperative nausea and vomiting in patients undergoing TRAM flap breast reconstruction surgery (Loewen et al), 2003;51:472

Drainage

a minimalist approach to the care of the indwelling closed suction drain: prospective analysis of local wound complications (Reid et al), 2003;51:575

Dressings

dressings for alveolopalatal wounds after alveolar bone grafting (Kondoh et al), 2003;51:290

Droperidol

randomized, double-blind trial of dolasetron versus droperidol for prophylaxis of postoperative nausea and vomiting in patients undergoing TRAM flap breast reconstruction surgery (Loewen et al), 2003;51:472

Dupuytren's contracture

response to Pan et al., microarray gene analysis and expression profiles of Dupuytren's contracture (Wright et al), 2003;51:528 (Letter)

E

Ear

double opposing V-Y hinge flap (Yabe et al), 2003;51:643 (Tips & techniques)
stabilized autologous fibrin-chondrocyte constructs for cartilage repair in vivo (Fussenegger et al), 2003;51:493

Editorials

Green Mountain surgeons (Morain), 2003;51:112 (Editorial)
inalienably right (Morain), 2003;51:432 (Editorial)
the mother of all myths (Morain), 2003;51:645 (Editorial)
plastic surgery training—past, present and future (Ruberg), 2003;51:330 (Editorial)
The Prince of Pinnae (Morain), 2003;51:219 (Editorial)
risky business (Morain), 2003;51:523

(Editorial)

Electrostimulation

review of mechanical adjuncts in wound healing: hydrotherapy, ultrasound, negative pressure therapy, hyperbaric oxygen, and electrostimulation (Hess et al), 2003;51:210

Emergency care

review of emergency department fluid resuscitation of burn patients transferred to a regional, verified burn center (Hagstrom et al), 2003;51:173

Epidemiology

causes of death among Finnish women with cosmetic breast implants, 1971–2001 (Pukkala et al), 2003;51:339
causes of death among Finnish women with cosmetic breast implants, 1971–2001 (Sarwer), 2003;51:343 (Invited discussion)
incidence and severity of short-term complications after breast augmentation (Henriksen et al), 2003;51:531

Epilation

ninety percent permanent hair reduction in transsexual patients (Schroeter et al), 2003;51:243

Extensor digitorum brevis muscle

indication and practice of reverse flow extensor digitorum brevis muscle flap transfer (Hirase et al), 2003;51:273

Eye

reconstruction of an inner layer defect of the upper eyelid with avulsion of the superior levator palpebrae muscle and orbital fat (Kushima et al), 2003;51:321 (Case report)
usefulness of palatal mucoperiosteal grafts for artificial eye socket contracture (Ito et al), 2003;51:278

Eyebrow

eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Motomura et al), 2003;51:314 (Case report)
eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Vogel), 2003;51:319 (Invited discussion)
eyebrow transplantation (Ergün et al), 2003;51:584

F

Facial nerve

facial nerve in rhytidoplasty: anatomic study of its trajectory in the overlying skin and the most common sites of injury (Zani et al), 2003;51:236

Facial surgery

augmentation rhinoplasty of the Asian nose with the "bird" silicone implant (Lam et al), 2003;51:249
bilateral frontozygomatic dermoid cysts

(Elahi et al), 2003;51:509 (Case report)
correction of atrophic nasal ala by sandwiching an auricular cartilage graft between para-alar and nasal floor retrogressive flaps (Suzuki et al), 2003;51:513 (Case report)

double V-Y advancement flap in the management of lower lip reconstruction (Bocchi et al), 2003;51:205

effect of steroids on edema, ecchymosis, and intraoperative bleeding in rhinoplasty (Kargi et al), 2003;51:570

eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Motomura et al), 2003;51:314 (Case report)

eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Vogel), 2003;51:319 (Invited discussion)
eyebrow transplantation (Ergün et al), 2003;51:584

orbital reconstruction after exenteration with the whole transorbital temporalis muscle flap (Shipkov et al), 2003;51:527 (Letter)
Principles of Nasal Reconstruction, by Baker et al (Havlik), 2003;51:333 (Book review)
reconstruction of an inner layer defect of the upper eyelid with avulsion of the superior levator palpebrae muscle and orbital fat (Kushima et al), 2003;51:321 (Case report)
reconstruction of the middle and lower face with three simultaneous free flaps: combined use of bilateral fibular flaps for maxillomandibular reconstruction (Nişanci et al), 2003;51:301 (Case report)
temporal dermoids: three cases and a modified treatment algorithm (Lacey et al), 2003;51:103 (Case report)

Facial flaps. See Flaps, fascial

Fasciocutaneous flaps. See Flaps, fasciocutaneous

Fat

in vivo tracking of rat preadipocytes after autologous transplantation (Rieck et al), 2003;51:294
is it safe to combine abdominoplasty with other dermolipectomy procedures to correct skin excess after weight loss? (Gmür et al), 2003;51:353
reconstruction of an inner layer defect of the upper eyelid with avulsion of the superior levator palpebrae muscle and orbital fat (Kushima et al), 2003;51:321 (Case report)
regional differences in ultrasonic assessment of subcutaneous fat thickness in the abdomen: effects on the TRAM flap (Yano et al), 2003;51:130
suction lipectomy during flap reconstruction provides immediate and safe debulking of the skin island (Mowlavi et al), 2003;51:189 (Case report)

Fat graft

reconstruction of fingertip and stump using a composite graft from the hypothenar region (Hong et al), 2003;51:57

Fibroblasts

accelerated diabetic wound healing using cultured dermal fibroblasts retrovirally transduced with the platelet-derived growth factor B gene (Breitbart et al), 2003;51:409

advantages of the presence of living dermal fibroblasts within Restylane for soft tissue augmentation, 2003;51:587

Fibular flaps

reconstruction of the middle and lower face with three simultaneous free flaps: combined use of bilateral fibular flaps for maxillomandibular reconstruction (Nişanci et al), 2003;51:301 (Case report)

Fingers

the inadequate index finger (Upton), 2003;51:611 (Invited discussion)

long-term results of replantation for complete ring avulsion amputations (Adani et al), 2003;51:564

long-term results of replantation for complete ring avulsion amputations (Chung), 2003;51:569 (Invited discussion)

new anterolateral thigh perforator flap with a short pedicle for reconstruction of defects in the upper extremities (Koshima et al), 2003;51:30

reconstruction of fingertip and stump using a composite graft from the hypothenar region (Hong et al), 2003;51:57

tendon function after replantation: prognostic factors and strategies to enhance total active motion (Ross et al), 2003;51:141

two case reports of pollicization of a previously syndactylized index finger for congenitally absent thumb (Netscher et al), 2003;51:607

Fistula

upper lip orocutaneous fistula in edentulous maxilla (Komninkis et al), 2003;51:225 (Letter)

Flaps, adipocutaneous

late remote ischemic preconditioning in rat muscle and adipocutaneous flap models (Küntscher et al), 2003;51:84

Flaps, charged

supercharged TRAM flaps can be a worthwhile procedure! (Ali et al), 2003;51:221 (Letter)

venous "supercharging" augments survival of the delayed rat TRAM flap (Sano et al), 2003;51:398

Flaps, fascial

eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Motomura et al), 2003;51:314 (Case report)

eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Vogel), 2003;51:319 (Invited discussion)

Flaps, fasciocutaneous

comparison of venous drainage in reverse-flow island flaps: an experimental study of the rabbit saphenous fasciocutaneous flap (Chang et al), 2003;51:177

reconstruction of combined defects of the Achilles tendon and the overlying soft tissue with a fascia lata graft and a free fasciocutaneous lateral arm flap (Haas et al), 2003;51:376

soft-tissue reconstruction using a free anterolateral thigh flap: experience with 28 patients (Yildirim et al), 2003;51:37

Flaps, free

abdominal wall reconstruction with the free tensor fascia lata musculofasciocutaneous flap using intraperitoneal gastroepiploic recipient vessels (Chevray et al), 2003;51:97 (Case report)

deep inferior epigastric artery perforator flaps in head and neck reconstruction (Beausang et al), 2003;51:561

free gluteal artery perforator flap with a short, small perforator (Koshima et al), 2003;51:200 (Case report)

free perforator flap for the treatment of defects after resection of huge arteriovenous malformations in the head and neck regions (Koshima et al), 2003;51:194 (Case report)

free tissue transfer: an advanced strategy for postinfection soft-tissue defects in the upper extremity (Koschnick et al), 2003;51:147

gracilis (medial circumflex femoral) perforator flap: a medial groin free flap? (Hallock), 2003;51:623

initial experience with personal digital assistant-based reflectance photoplethysmograph for free tissue transfer monitoring (Stack et al), 2003;51:136

new anterolateral thigh perforator flap with a short pedicle for reconstruction of defects in the upper extremities (Koshima et al), 2003;51:30

new experimental flap model: free muscle perforator flap (Özkan et al), 2003;51:603

reconstruction of combined defects of the Achilles tendon and the overlying soft tissue with a fascia lata graft and a free fasciocutaneous lateral arm flap (Haas et al), 2003;51:376

reconstruction of the middle and lower face with three simultaneous free flaps: combined use of bilateral fibular flaps for maxillomandibular reconstruction (Nişanci et al), 2003;51:301 (Case report)

soft-tissue reconstruction using a free

anterolateral thigh flap: experience with 28 patients (Yildirim et al), 2003;51:37

Flaps, island

comparison of venous drainage in reverse-flow island flaps: an experimental study of the rabbit saphenous fasciocutaneous flap (Chang et al), 2003;51:177

V-Y advancement island flap based on the perforator of the anterior interosseous artery (Akin), 2003;51:51

Flaps, muscle

distally based abductor hallucis muscle flap: anatomic basis and clinical application (Schwabegger et al), 2003;51:505 (Case report)

indication and practice of reverse flow extensor digitorum brevis muscle flap transfer (Hirase et al), 2003;51:273

medial gastrocnemius muscle flap in limb-sparing surgery of malignant bone tumors of the proximal tibia: mid-term results in 25 patients (Buchner et al), 2003;51:266

microcirculatory hemodynamics of the rat cremaster muscle flap in reduced blood flow states (Nanhekan et al), 2003;51:182

orbital reconstruction after exenteration with the whole transorbital temporalis muscle flap (Shipkov et al), 2003;51:527 (Letter)

sequential use of a true perforator flap and its corresponding muscle flap (Hallock), 2003;51:617

sequential use of a true perforator flap and its corresponding muscle flap (Long et al), 2003;51:621 (Invited discussion)

sternal wound debridement and muscle flap reconstruction: functional implications (Netscher et al), 2003;51:115

sternal wound debridement and muscle flap reconstruction (Nahabedian), 2003;51:123 (Invited discussion)

Flaps, musculocutaneous

distal trapezius musculocutaneous flap for upper thoracic back wounds associated with spinal instrumentation and radiation (Chun et al), 2003;51:17

effect of hyperbaric oxygen on ischemia-reperfusion injury: experimental study in a rat musculocutaneous flap (Hong et al), 2003;51:478

hatchet-shaped tensor fascia lata musculocutaneous flap for coverage of trochanteric pressure sores: a new modification (Demirseren et al), 2003;51:419 (Case report)

modification of the vertical rectus abdominis myocutaneous (VRAM) flap for functional reconstruction of complex vulvoperineal defects (Hui et al), 2003;51:556

randomized, double-blind trial of dolasetron versus droperidol for prophylaxis of postoperative nausea and vomiting in patients undergoing TRAM flap breast reconstruction surgery (Loewen et al),

- 2003;51:472
- Re: vulvoperineal reconstruction (Peled), 2003;51:222 (Letter)
- reconstruction after extirpation of sacral malignancies (Diaz et al), 2003;51:126
- reconstruction of an extensive thigh defect with the paraumbilical TRAM flap (Senchenkov et al), 2003;51:91 (Case report)
- regional differences in ultrasonic assessment of subcutaneous fat thickness in the abdomen: effects on the TRAM flap (Yano et al), 2003;51:130
- silicone gel breast implant rupture presenting as a fluctuant back mass after latissimus dorsi breast reconstruction (Baack et al), 2003;51:415 (Case report)
- supercharged TRAM flaps can be a worthwhile procedure! (Ali et al), 2003;51:221 (Letter)
- two-stage reconstruction of infected deep median sternotomy wound with an intercostal pedicled oblique rectus abdominis musculocutaneous flap after coronary artery bypass grafting (Mochizuki et al), 2003;51:423 (Case report)
- use of the scrotal remnant as a tissue-expanding musculocutaneous flap for scrotal reconstruction in Paget's disease (Por et al), 2003;51:155
- vaginal reconstruction using a modified rectus abdominis musculocutaneous flap in pelvic cancer surgery (Ruiz-de-Erenchum et al), 2003;51:455
- vascular compromise of the pectoralis major musculocutaneous flap in head and neck reconstruction (Cunha-Gomes et al), 2003;51:450
- venous "supercharging" augments survival of the delayed rat TRAM flap (Sano et al), 2003;51:398
- vertical midline scar is a high-risk factor for maximum survival of the rat TRAM flap (Sano et al), 2003;51:403
- Flaps, musculofasciocutaneous**
- abdominal wall reconstruction with the free tensor fascia lata musculofasciocutaneous flap using intraperitoneal gastroepiploic recipient vessels (Chevray et al), 2003;51:97 (Case report)
- Flaps, perforator**
- deep inferior epigastric artery perforator flaps in head and neck reconstruction (Beausang et al), 2003;51:561
- free gluteal artery perforator flap with a short, small perforator (Koshima et al), 2003;51:200 (Case report)
- free perforator flap for the treatment of defects after resection of huge arteriovenous malformations in the head and neck regions (Koshima et al), 2003;51:194 (Case report)
- gracilis (medial circumflex femoral) perforator flap: a medial groin free flap? (Hallock), 2003;51:623
- medial and lateral malleolar perforator flaps for repair of defects around the ankle (Koshima et al), 2003;51:579
- medial circumflex femoral_{GRACILIS} local perforator flap—a local medial groin perforator flap (Hallock), 2003;51:460
- muscle perforator flaps: the name game (Hallock), 2003;51:630 (Review article)
- new anterolateral thigh perforator flap with a short pedicle for reconstruction of defects in the upper extremities (Koshima et al), 2003;51:30
- new experimental flap model: free muscle perforator flap (Özkan et al), 2003;51:603
- sequential use of a *true* perforator flap and its corresponding muscle flap (Hallock), 2003;51:617
- sequential use of a *true* perforator flap and its corresponding muscle flap (Long et al), 2003;51:621 (Invited discussion)
- thoracodorsal artery perforator flap: anatomic basis and clinical application (Heitmann et al), 2003;51:23
- V-Y advancement island flap based on the perforator of the anterior interosseous artery (Akin), 2003;51:51
- Flaps, skin**
- porcine small intestinal submucosa as a carrier for skin flap prefabrication (Zhang et al), 2003;51:488
- suction lipectomy during flap reconstruction provides immediate and safe debulking of the skin island (Mowlavi et al), 2003;51:189 (Case report)
- Flaps, V-Y**
- double opposing V-Y hinge flap (Yabe et al), 2003;51:643 (Tips & techniques)
- double V-Y advancement flap in the management of lower lip reconstruction (Bocchi et al), 2003;51:205
- V-Y advancement island flap based on the perforator of the anterior interosseous artery (Akin), 2003;51:51
- Fluid management**
- review of emergency department fluid resuscitation of burn patients transferred to a regional, verified burn center (Hagstrom et al), 2003;51:173
- Foot and ankle**
- distally based abductor hallucis muscle flap: anatomic basis and clinical application (Schwabegger et al), 2003;51:505 (Case report)
- human skin allograft used to treat open wounds after club foot release (Rockwell et al), 2003;51:593
- indication and practice of reverse flow extensor digitorum brevis muscle flap transfer (Hirase et al), 2003;51:273
- medial and lateral malleolar perforator flaps for repair of defects around the ankle (Koshima et al), 2003;51:579
- soft-tissue shaving procedure for deformity management of chronic tophaceous gout (Lee et al), 2003;51:372
- Forearm**
- management strategy for compartment syndrome of the upper extremity arising during anticoagulation or thrombolytic therapy: an increasingly common surgical dilemma (Newman et al), 2003;51:308 (Case report)
- V-Y advancement island flap based on the perforator of the anterior interosseous artery (Akin), 2003;51:51
- Free flaps. See Flaps, free**
- Frontozygomatic dermoids**
- bilateral frontozygomatic dermoid cysts (Elahi et al), 2003;51:509 (Case report)

G

Gastrocnemius muscle

- medial gastrocnemius muscle flap in limb-sparing surgery of malignant bone tumors of the proximal tibia: mid-term results in 25 patients (Buchner et al), 2003;51:266
- sequential use of a *true* perforator flap and its corresponding muscle flap (Hallock), 2003;51:617
- sequential use of a *true* perforator flap and its corresponding muscle flap (Long et al), 2003;51:621 (Invited discussion)

Gene profiling

- response to Pan et al., microarray gene analysis and expression profiles of Dupuytren's contracture (Wright et al), 2003;51:528 (Letter)

Gene therapy

- accelerated diabetic wound healing using cultured dermal fibroblasts retrovirally transduced with the platelet-derived growth factor B gene (Breitbart et al), 2003;51:409

Genitoperineal region

- long-term follow-up and unusual findings after microvascular transfer of hair-bearing skin for pubic hair restoration (Chen et al), 2003;51:627
- modification of the vertical rectus abdominis myocutaneous (VRAM) flap for functional reconstruction of complex vulvoperineal defects (Hui et al), 2003;51:556
- new method for vaginal reconstruction using a pedicled jejunal flap (Chen et al), 2003;51:429 (Case report)
- Re: vulvoperineal reconstruction (Peled), 2003;51:222 (Letter)
- use of the scrotal remnant as a tissue-expanding musculocutaneous flap for scrotal reconstruction in Paget's disease (Por et al), 2003;51:155
- vaginal reconstruction using a modified

rectus abdominis musculocutaneous flap in pelvic cancer surgery (Ruiz-de-Erenchum et al), 2003;51:455

Gloves

frequency and distribution of talc contamination in patients with silicone gel-filled breast implants (Chandler et al), 2003;51:358, 2003

Gluteal artery

free gluteal artery perforator flap with a short, small perforator (Koshima et al), 2003;51:200 (Case report)

Gluteus maximus muscle

reconstruction after extirpation of sacral malignancies (Diaz et al), 2003;51:126

Gout

soft-tissue shaving procedure for deformity management of chronic tophaceous gout (Lee et al), 2003;51:372

Gracilis muscle

gracilis (*medial* circumflex femoral) perforator flap: a *medial* groin free flap? (Hallock), 2003;51:623
medial circumflex femoral_{GRACILIS} local perforator flap—a local medial groin perforator flap (Hallock), 2003;51:460
Re: vulvoperineal reconstruction (Peled), 2003;51:222 (Letter)

Groin region

gracilis (*medial* circumflex femoral) perforator flap: a *medial* groin free flap? (Hallock), 2003;51:623
medial circumflex femoral_{GRACILIS} local perforator flap—a local medial groin perforator flap (Hallock), 2003;51:460

H

Hair

eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Motomura et al), 2003;51:314 (Case report)
eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Vogel), 2003;51:319 (Invited discussion)
eyebrow transplantation (Ergün et al), 2003;51:584
long-term follow-up and unusual findings after microvascular transfer of hair-bearing skin for pubic hair restoration (Chen et al), 2003;51:627
ninety percent permanent hair reduction in transsexual patients (Schroeter et al), 2003;51:243

Hand and wrist

the inadequate index finger (Upton), 2003;51:611 (Invited discussion)
long-term results of replantation for complete ring avulsion amputations (Adani et al), 2003;51:564

long-term results of replantation for complete ring avulsion amputations (Chung), 2003;51:569 (Invited discussion)

new anterolateral thigh perforator flap with a short pedicle for reconstruction of defects in the upper extremities (Koshima et al), 2003;51:30

reconstruction of fingertip and stump using a composite graft from the hypothenar region (Hong et al), 2003;51:57

tendon function after replantation: prognostic factors and strategies to enhance total active motion (Ross et al), 2003;51:141

treatment of painful neuroma by resection and nerve stump transplantation into a vein (Koch et al), 2003;51:45

two case reports of pollicization of a previously syndactylized index finger for congenitally absent thumb (Netscher et al), 2003;51:607

V-Y advancement island flap based on the perforator of the anterior interosseous artery (Akin), 2003;51:51

vascular anatomy of the metacarpal bones and the interosseous muscles (Uysal et al), 2003;51:63

Head and neck reconstruction

deep inferior epigastric artery perforator flaps in head and neck reconstruction (Beausang et al), 2003;51:561

free perforator flap for the treatment of defects after resection of huge arteriovenous malformations in the head and neck regions (Koshima et al), 2003;51:194 (Case report)

soft-tissue reconstruction using a free anterolateral thigh flap: experience with 28 patients (Yildirim et al), 2003;51:37

vascular compromise of the pectoralis major musculocutaneous flap in head and neck reconstruction (Cunha-Gomes et al), 2003;51:450

Hemifacial microsomia

clinical, radiological, and audiological relationships in hemifacial microsomia (Wan et al), 2003;51:161

Hemodynamics. See also Blood supply

microcirculatory hemodynamics of the rat cremaster muscle flap in reduced blood flow states (Nanhekan et al), 2003;51:182

Hernia

abdominoplasty repair for abdominal wall hernias (Robertson et al), 2003;51:10

Hyaluronic acids

advantages of the presence of living dermal fibroblasts within Restylane for soft tissue augmentation, 2003;51:587

Hydrotherapy

review of mechanical adjuncts in wound healing: hydrotherapy, ultrasound, negative pressure therapy, hyperbaric oxygen, and electrostimulation (Hess et al), 2003;51:210

Hyperbaric oxygen

effect of hyperbaric oxygen on ischemia-reperfusion injury: experimental study in a rat musculocutaneous flap (Hong et al), 2003;51:478

review of mechanical adjuncts in wound healing: hydrotherapy, ultrasound, negative pressure therapy, hyperbaric oxygen, and electrostimulation (Hess et al), 2003;51:210

I

Implants and prostheses

augmentation rhinoplasty of the Asian nose with the "bird" silicone implant (Lam et al), 2003;51:249

causes of death among Finnish women with cosmetic breast implants, 1971–2001 (Pukkala et al), 2003;51:339

causes of death among Finnish women with cosmetic breast implants, 1971–2001 (Sarwer), 2003;51:343 (Invited discussion)

frequency and distribution of talc contamination in patients with silicone gel-filled breast implants (Chandler et al), 2003;51:358, 2003

implantable baclofen pump as an adjuvant in treatment of pressure sores (Mess et al), 2003;51:465

incidence and severity of short-term complications after breast augmentation (Henriksen et al), 2003;51:531

Re: Invited discussion of silicone gel breast implant failure: evaluation of properties of shells and gels for explanted prostheses and meta-analysis of literature rupture data (Goldberg et al), 2003;51:334 (Letter)

silicone gel breast implant rupture presenting as a fluctuant back mass after latissimus dorsi breast reconstruction (Baack et al), 2003;51:415 (Case report)

Trilucent breast implants: five years' experience from an Italian perspective (Cicchetti et al), 2003;51:229

Infection

effect of body mass index and wound irrigation on outcome after bilateral breast reduction (Platt et al), 2003;51:552

free tissue transfer: an advanced strategy for postinfection soft-tissue defects in the upper extremity (Koschnick et al), 2003;51:147

a minimalist approach to the care of the indwelling closed suction drain: prospective analysis of local wound complications (Reid et al), 2003;51:575
sternal wound debridement and muscle flap reconstruction: functional implications (Netscher et al), 2003;51:115

sternal wound debridement and muscle flap reconstruction (Nahabedian), 2003;51:123 (Invited discussion)

two-stage reconstruction of infected deep median sternotomy wound with an intercostal pedicled oblique rectus abdominis musculocutaneous flap after coronary artery bypass grafting (Mochizuki et al), 2003;51:423 (Case report)

Intense Pulsed Light Source

ninety percent permanent hair reduction in transsexual patients (Schroeter et al), 2003; 51:243

Interosseous muscles

vascular anatomy of the metacarpal bones and the interosseous muscles (Uysal et al), 2003;51:63

Invited discussions

application of the LeJour vertical mammaplasty pattern for skin-sparing mastectomy (Toth et al), 2003;51:351 (Invited discussion)

causes of death among Finnish women with cosmetic breast implants, 1971–2001 (Sarwer), 2003;51:343 (Invited discussion)

eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Vogel), 2003;51:319 (Invited discussion)

full-thickness abdominal wall reconstruction in the rabbit model (Disa), 2003;51:110 (Invited discussion)

the inadequate index finger (Upton), 2003;51: 611 (Invited discussion)

long-term results of replantation for complete ring avulsion amputations (Chung), 2003; 51:569 (Invited discussion)

obstetric brachial plexus palsy associated with breech delivery (Clarke), 2003;51:265 (Invited discussion)

sensibility of the breast after reduction mammaplasty (Dellon), 2003;51:6 (Invited discussion)

sequential use of a true perforator flap and its corresponding muscle flap (Long et al), 2003;51:621 (Invited discussion)

sternal wound debridement and muscle flap reconstruction (Nahabedian), 2003;51:123 (Invited discussion)

Ischemia

effect of hyperbaric oxygen on ischemia–reperfusion injury: experimental study in a rat musculocutaneous flap (Hong et al), 2003;51:478

initial experience with personal digital assistant-based reflectance photoplethysmograph for free tissue transfer monitoring (Stack et al), 2003;51: 136

late remote ischemic preconditioning in rat muscle and adipocutaneous flap models (Küntscher et al), 2003;51:84

Island flaps. See Flaps, island

J

Jejunum

new method for vaginal reconstruction using a pedicled jejunal flap (Chen et al), 2003; 51:429 (Case report)

L

Laser technology

flashlamp-pumped pulsed dye laser (585 nm) treatment of hypertrophic scars in Asians (Kono et al), 2003;51:366

Lateral circumflex femoral system

new anterolateral thigh perforator flap with a short pedicle for reconstruction of defects in the upper extremities (Koshima et al), 2003;51:30

Latissimus dorsi muscle

silicone gel breast implant rupture presenting as a fluctuant back mass after latissimus dorsi breast reconstruction (Baack et al), 2003;51:415 (Case report)

Leg. See Lower extremity; Thigh

Letters

extra-articular ankylosis of the mandible caused by possible migration of bone grafts (Emekli et al), 2003;51:435 (Letter)

ligated punctured expanders: are they clinically safe? (Aslan et al), 2003;51:224 (Letter)

orbital reconstruction after exenteration with the whole transorbital temporalis muscle flap (Shipkov et al), 2003;51:527 (Letter)

Re: a simple method for cranial bone chip harvesting (Çelik), 2003;51:434 (Letter)

Re: ball lightning injuries (Cherington et al), 2003;51:525 (Letter)

Re: Green Mountain surgeons (Fox), 2003; 51:528 (Letter)

Re: Invited discussion of silicone gel breast implant failure: evaluation of properties of shells and gels for explanted prostheses and meta-analysis of literature rupture data (Goldberg et al), 2003;51:334 (Letter)

Re: modification of split-thickness skin graft (Demirtas et al), 2003;51:223 (Letter)

Re: nodal metastatic melanoma in the neck of a 4-year-old girl after diagnosis of Spitz nevus of the cheek (Moody et al), 2003; 51:336 (Letter)

Re: osteosynthesis in digital replantation using bioabsorbable rods (Meed et al), 2003;51:526 (Letter)

Re: vulvoperineal reconstruction (Peled), 2003;51:222 (Letter)

response to letter by Dr. Yavuzer (Meek et al), 2003;51:224 (Letter)

response to Pan et al., microarray gene analysis and expression profiles of Dupuytren's contracture (Wright et al), 2003;51:528 (Letter)

supercharged TRAM flaps can be a

worthwhile procedure! (Ali et al), 2003;51: 221 (Letter)

upper lip orocutaneous fistula in edentulous maxilla (Komninakis et al), 2003;51:225 (Letter)

use of silicone block as a pellet in the treatment of minor malocclusion (Ergün), 2003;51:225 (Letter)

Lightning injuries

Re: ball lightning injuries (Cherington et al), 2003;51:525 (Letter)

Lip

double V-Y advancement flap in the management of lower lip reconstruction (Bocchi et al), 2003;51:205

three-dimensional nasal morphology in cleft lip and palate operated adult patients (Ferrario et al), 2003;51:390

upper lip orocutaneous fistula in edentulous maxilla (Komninakis et al), 2003;51:225 (Letter)

Lipodystrophy of face

free gluteal artery perforator flap with a short, small perforator (Koshima et al), 2003;51:200 (Case report)

Liposuction

suction lipectomy during flap reconstruction provides immediate and safe debulking of the skin island (Mowlavi et al), 2003;51: 189 (Case report)

Lower extremity. See also Foot and ankle

medial and lateral malleolar perforator flaps for repair of defects around the ankle (Koshima et al), 2003;51:579

medial gastrocnemius muscle flap in limb-sparing surgery of malignant bone tumors of the proximal tibia: mid-term results in 25 patients (Buchner et al), 2003;51:266

reconstruction of an extensive thigh defect with the paraumbilical TRAM flap (Senchenkov et al), 2003;51:91 (Case report)

reconstruction of combined defects of the Achilles tendon and the overlying soft tissue with a fascia lata graft and a free fasciocutaneous lateral arm flap (Haas et al), 2003;51:376

soft-tissue reconstruction using a free anterolateral thigh flap: experience with 28 patients (Yildirim et al), 2003;51:37

superficial femoral lymph node dissection after positive sentinel lymphadenectomy for early-stage melanoma of the lower extremity (Pu et al), 2003;51:69

Lymph nodes

Re: nodal metastatic melanoma in the neck of a 4-year-old girl after diagnosis of Spitz nevus of the cheek (Moody et al), 2003; 51:336 (Letter)

superficial femoral lymph node dissection after positive sentinel lymphadenectomy for early-stage melanoma of the lower extremity (Pu et al), 2003;51:69

M

Malleolar flaps

medial and lateral malleolar perforator flaps for repair of defects around the ankle (Koshima et al), 2003;51:579

Mammaplasty, augmentation. *See also* Breast implants

incidence and severity of short-term complications after breast augmentation (Henriksen et al), 2003;51:531
revision augmentation mastopexy: indications, operations, and outcomes (Spear et al), 2003;51:540

Mammaplasty, reconstructive

application of the LeJour vertical mammaplasty pattern for skin-sparing mastectomy: preliminary report (Malata et al), 2003;51:345
application of the LeJour vertical mammaplasty pattern for skin-sparing mastectomy (Toth et al), 2003;51:351 (Invited discussion)
areola-sparing mastectomy with immediate breast reconstruction (Simmons et al), 2003;51:547
improving recipient vessel exposure during microvascular breast reconstruction (Mehrrara et al), 2003;51:361
randomized, double-blind trial of dolasetron versus droperidol for prophylaxis of postoperative nausea and vomiting in patients undergoing TRAM flap breast reconstruction surgery (Loewen et al), 2003;51:472
silicone gel breast implant rupture presenting as a fluctuant back mass after latissimus dorsi breast reconstruction (Baack et al), 2003;51:415 (Case report)
supercharged TRAM flaps can be a worthwhile procedure! (Ali et al), 2003;51:221 (Letter)

Mammaplasty, reduction

effect of body mass index and wound irrigation on outcome after bilateral breast reduction (Platt et al), 2003;51:552
quality analysis of bilateral reduction mammaplasty using a state-legislated comparative database and an internal hospital-based system (Chung et al), 2003;51:446
sensitivity of the breast after reduction mammaplasty (Dellon), 2003;51:6 (Invited discussion)
sensitivity of the breast after reduction mammaplasty (Ferreira et al), 2003;51:1

Mandible

extra-articular ankylosis of the mandible caused by possible migration of bone grafts (Emekli et al), 2003;51:435 (Letter)
Oral and Maxillofacial Pathology: A Rationale for Diagnosis and Treatment, by Marx et al (Bruno), 2003;51:333 (Book

review)

reconstruction of the middle and lower face with three simultaneous free flaps: combined use of bilateral fibular flaps for maxillomandibular reconstruction (Nişanci et al), 2003;51:301 (Case report)
regeneration of the mandibular head from grafted periosteum (Ueno et al), 2003;51:77
use of silicone block as a pellet in the treatment of minor malocclusion (Ergün), 2003;51:225 (Letter)

Mastectomy

application of the LeJour vertical mammaplasty pattern for skin-sparing mastectomy: preliminary report (Malata et al), 2003;51:345
application of the LeJour vertical mammaplasty pattern for skin-sparing mastectomy (Toth et al), 2003;51:351 (Invited discussion)
areola-sparing mastectomy with immediate breast reconstruction (Simmons et al), 2003;51:547

Maxilla

Oral and Maxillofacial Pathology: A Rationale for Diagnosis and Treatment, by Marx et al (Bruno), 2003;51:333 (Book review)
reconstruction of the middle and lower face with three simultaneous free flaps: combined use of bilateral fibular flaps for maxillomandibular reconstruction (Nişanci et al), 2003;51:301 (Case report)
upper lip orocutaneous fistula in edentulous maxilla (Komninakis et al), 2003;51:225 (Letter)

Medial circumflex femoral artery

gracilis (*medial circumflex femoral*) perforator flap: a *medial* groin free flap? (Hallock), 2003;51:623
medial circumflex femoral_{GRACILIS} local perforator flap—a local medial groin perforator flap (Hallock), 2003;51:460

Median sternotomy wound

sternal wound debridement and muscle flap reconstruction: functional implications (Netscher et al), 2003;51:115
sternal wound debridement and muscle flap reconstruction (Nahabedian), 2003;51:123 (Invited discussion)
two-stage reconstruction of infected deep median sternotomy wound with an intercostal pedicled oblique rectus abdominis musculocutaneous flap after coronary artery bypass grafting (Mochizuki et al), 2003;51:423 (Case report)

Mediastinal infection

sternal wound debridement and muscle flap reconstruction: functional implications (Netscher et al), 2003;51:115
sternal wound debridement and muscle flap

reconstruction (Nahabedian), 2003;51:123 (Invited discussion)

Medical education

Forged by the Knife: The Experiences of Surgical Residency From the Perspective of a Woman of Color, by Dawson (Woodberry), 2003;51:332 (Book review)
plastic surgery training—past, present and future (Ruberg), 2003;51:330 (Editorial)

Melanoma

Re: nodal metastatic melanoma in the neck of a 4-year-old girl after diagnosis of Spitz nevus of the cheek (Moody et al), 2003;51:336 (Letter)
superficial femoral lymph node dissection after positive sentinel lymphadenectomy for early-stage melanoma of the lower extremity (Pu et al), 2003;51:69

Metacarpal bones

vascular anatomy of the metacarpal bones and the interosseous muscles (Uysal et al), 2003;51:63

Metopic synostosis

predicting the risk of reoperation in metopic synostosis: a quantitative CT scan analysis (Paige et al), 2003;51:167

Microarray analysis

response to Pan et al., microarray gene analysis and expression profiles of Dupuytren's contracture (Wright et al), 2003;51:528 (Letter)

Microsurgery

free gluteal artery perforator flap with a short, small perforator (Koshima et al), 2003;51:200 (Case report)
improving recipient vessel exposure during microvascular breast reconstruction (Mehrrara et al), 2003;51:361
initial experience with personal digital assistant-based reflectance photoplethysmograph for free tissue transfer monitoring (Stack et al), 2003;51:136
long-term follow-up and unusual findings after microvascular transfer of hair-bearing skin for pubic hair restoration (Chen et al), 2003;51:627

Monitoring

initial experience with personal digital assistant-based reflectance photoplethysmograph for free tissue transfer monitoring (Stack et al), 2003;51:136

Mortality

causes of death among Finnish women with cosmetic breast implants, 1971–2001 (Pukkala et al), 2003;51:339
causes of death among Finnish women with cosmetic breast implants, 1971–2001 (Sarwer), 2003;51:343 (Invited discussion)

Mouse

accelerated diabetic wound healing using cultured dermal fibroblasts retrovirally

transduced with the platelet-derived growth factor B gene (Breitbart et al), 2003;51:409

tension-induced reduction in connexin 43 expression in cranial sutures is linked to transcriptional regulation by TBX2 (Borke et al), 2003;51:499

Mouth

dressings for alveolopalatal wounds after alveolar bone grafting (Kondoh et al), 2003;51:290

Oral and Maxillofacial Pathology: A Rationale for Diagnosis and Treatment, by Marx et al (Bruno), 2003;51:333 (Book review)

oral burn contractures in children (Hashem et al), 2003;51:468

total oral reconstruction for cancers associated with advanced oral submucous fibrosis (Cunha-Gomes et al), 2003;51:283

Mucoperiosteal grafts

usefulness of palatal mucoperiosteal grafts for artificial eye socket contracture (Ito et al), 2003;51:278

Muscle. See also specific muscles

late remote ischemic preconditioning in rat muscle and adipocutaneous flap models (Küntschner et al), 2003;51:84

Muscle flaps. See Flaps, muscle

Musculocutaneous flaps. See Flaps, musculocutaneous

N

Nausea and vomiting

randomized, double-blind trial of dolasetron versus droperidol for prophylaxis of postoperative nausea and vomiting in patients undergoing TRAM flap breast reconstruction surgery (Loewen et al), 2003;51:472

Neck

deep inferior epigastric artery perforator flaps in head and neck reconstruction (Beausang et al), 2003;51:561

free perforator flap for the treatment of defects after resection of huge arteriovenous malformations in the head and neck regions (Koshima et al), 2003;51:194 (Case report)

Re: nodal metastatic melanoma in the neck of a 4-year-old girl after diagnosis of Spitz nevus of the cheek (Moody et al), 2003;51:336 (Letter)

vascular compromise of the pectoralis major musculocutaneous flap in head and neck reconstruction (Cunha-Gomes et al), 2003;51:450

Negative pressure therapy

review of mechanical adjuncts in wound healing: hydrotherapy, ultrasound, negative pressure therapy, hyperbaric oxygen, and electrostimulation (Hess et al), 2003;51:

210

Neoplasms

bilateral frontozygomatic dermoid cysts (Elahi et al), 2003;51:509 (Case report)

medial gastrocnemius muscle flap in limb-sparing surgery of malignant bone tumors of the proximal tibia: mid-term results in 25 patients (Buchner et al), 2003;51:266

Re: nodal metastatic melanoma in the neck of a 4-year-old girl after diagnosis of Spitz nevus of the cheek (Moody et al), 2003;51:336 (Letter)

reconstruction after extirpation of sacral malignancies (Diaz et al), 2003;51:126

superficial femoral lymph node dissection after positive sentinel lymphadenectomy for early-stage melanoma of the lower extremity (Pu et al), 2003;51:69

temporal dermoids: three cases and a modified treatment algorithm (Lacey et al), 2003;51:103 (Case report)

total oral reconstruction for cancers associated with advanced oral submucous fibrosis (Cunha-Gomes et al), 2003;51:283

Nerve injury

facial nerve in rhytidoplasty: anatomic study of its trajectory in the overlying skin and the most common sites of injury (Zani et al), 2003;51:236

Nerve repair

response to letter by Dr. Yavuzer (Meek et al), 2003;51:224 (Letter)

Nerve stump transposition

treatment of painful neuroma by resection and nerve stump transplantation into a vein (Koch et al), 2003;51:45

Neuroma

treatment of painful neuroma by resection and nerve stump transplantation into a vein (Koch et al), 2003;51:45

Nevus

Re: nodal metastatic melanoma in the neck of a 4-year-old girl after diagnosis of Spitz nevus of the cheek (Moody et al), 2003;51:336 (Letter)

Nipple-areola complex

areola-sparing mastectomy with immediate breast reconstruction (Simmons et al), 2003;51:547

correction of inverted nipple: alternative method using two triangular areolar dermal flaps (Kim et al), 2003;51:637 (Tips & techniques)

Nomenclature

muscle perforator flaps: the name game (Hallock), 2003;51:630 (Review article)

Nose

augmentation rhinoplasty of the Asian nose with the "bird" silicone implant (Lam et al), 2003;51:249

correction of atrophic nasal ala by sandwiching an auricular cartilage graft between para-alar and nasal floor

retrogressive flaps (Suzuki et al), 2003;51:513 (Case report)

effect of steroids on edema, ecchymosis, and intraoperative bleeding in rhinoplasty (Kargi et al), 2003;51:570

Principles of Nasal Reconstruction, by Baker et al (Havlik), 2003;51:333 (Book review)

three-dimensional nasal morphology in cleft lip and palate operated adult patients (Ferrario et al), 2003;51:390

O

Obstetric injury

obstetric brachial plexus palsy associated with breech delivery (Al-Qattan), 2003;51:257

obstetric brachial plexus palsy associated with breech delivery (Clarke), 2003;51:265 (Invited discussion)

Oral pathology

Oral and Maxillofacial Pathology: A Rationale for Diagnosis and Treatment, by Marx et al (Bruno), 2003;51:333 (Book review)

oral burn contractures in children (Hashem et al), 2003;51:468

Oral procedures

dressings for alveolopalatal wounds after alveolar bone grafting (Kondoh et al), 2003;51:290

total oral reconstruction for cancers associated with advanced oral submucous fibrosis (Cunha-Gomes et al), 2003;51:283

Orbital reconstruction

orbital reconstruction after exenteration with the whole transorbital temporalis muscle flap (Shipkov et al), 2003;51:527 (Letter)

Orocutaneous fistula

upper lip orocutaneous fistula in edentulous maxilla (Kominakis et al), 2003;51:225 (Letter)

Osteomyelitis

free gluteal artery perforator flap with a short, small perforator (Koshima et al), 2003;51:200 (Case report)

Oxygen, hyperbaric

effect of hyperbaric oxygen on ischemia-reperfusion injury: experimental study in a rat musculocutaneous flap (Hong et al), 2003;51:478

review of mechanical adjuncts in wound healing: hydrotherapy, ultrasound, negative pressure therapy, hyperbaric oxygen, and electrostimulation (Hess et al), 2003;51:210

P

Paget's disease

use of the scrotal remnant as a tissue-expanding musculocutaneous flap for scrotal reconstruction in Paget's disease

- (Por et al), 2003;51:155
- Pain**
treatment of painful neuroma by resection and nerve stump transplantation into a vein (Koch et al), 2003;51:45
- Palate**
dressing for alveolopalatal wounds after alveolar bone grafting (Kondoh et al), 2003;51:290
three-dimensional nasal morphology in cleft lip and palate operated adult patients (Ferrario et al), 2003;51:390
usefulness of palatal mucoperiosteal grafts for artificial eye socket contracture (Ito et al), 2003;51:278
- Pectoralis major muscle**
sternal wound debridement and muscle flap reconstruction: functional implications (Netscher et al), 2003;51:115
vascular compromise of the pectoralis major musculocutaneous flap in head and neck reconstruction (Cunha-Gomes et al), 2003;51:450
- Pediatric patients**
bilateral frontozygomatic dermoid cysts (Elahi et al), 2003;51:509 (Case report)
clinical, radiological, and audiological relationships in hemifacial microsomia (Wan et al), 2003;51:161
human skin allograft used to treat open wounds after club foot release (Rockwell et al), 2003;51:593
the inadequate index finger (Upton), 2003;51:611 (Invited discussion)
obstetric brachial plexus palsy associated with breech delivery (Al-Qattan), 2003;51:257
obstetric brachial plexus palsy associated with breech delivery (Clarke), 2003;51:265 (Invited discussion)
oral burn contractures in children (Hashem et al), 2003;51:468
predicting the risk of reoperation in metopic synostosis: a quantitative CT scan analysis (Paige et al), 2003;51:167
Re: nodal metastatic melanoma in the neck of a 4-year-old girl after diagnosis of Spitz nevus of the cheek (Moody et al), 2003;51:336 (Letter)
temporal dermoids: three cases and a modified treatment algorithm (Lacey et al), 2003;51:103 (Case report)
two case reports of pollicization of a previously syndactylized index finger for congenitally absent thumb (Netscher et al), 2003;51:607
- Perforator flaps. See Flaps, perforator**
- Periosteal grafts**
regeneration of the mandibular head from grafted periosteum (Ueno et al), 2003;51:77
usefulness of palatal mucoperiosteal grafts for artificial eye socket contracture (Ito et al), 2003;51:278
- Personal digital assistant**
initial experience with personal digital assistant-based reflectance photoplethysmograph for free tissue transfer monitoring (Stack et al), 2003;51:136
- Placenta**
acellularization of human placenta with preservation of the basement membrane: potential matrix for tissue engineering (Hopper et al), 2003;51:598
- Plastic surgeons**
Forged by the Knife: The Experiences of Surgical Residency From the Perspective of a Woman of Color, by Dawson (Woodberry), 2003;51:332 (Book review)
Green Mountain surgeons (Morain), 2003;51:112 (Editorial)
inalienably right (Morain), 2003;51:432 (Editorial)
plastic surgery training—past, present and future (Ruberg), 2003;51:330 (Editorial)
Re: Green Mountain surgeons (Fox), 2003;51:528 (Letter)
Re: Green Mountain surgeons (Mullis), 2003;51:528 (Letter)
risky business (Morain), 2003;51:523 (Editorial)
- Platelet-derived growth factor**
accelerated diabetic wound healing using cultured dermal fibroblasts retrovirally transduced with the platelet-derived growth factor B gene (Breitbart et al), 2003;51:409
- Poly-L-lactic acid rods**
Re: osteosynthesis in digital replantation using bioabsorbable rods (Meed et al), 2003;51:526 (Letter)
- Pressure-Specified Sensory Device**
sensibility of the breast after reduction mammoplasty (Dellon), 2003;51:6 (Invited discussion)
sensibility of the breast after reduction mammoplasty (Ferreira et al), 2003;51:1
- Pressure ulcers**
hatchet-shaped tensor fascia lata musculocutaneous flap for coverage of trochanteric pressure sores: a new modification (Demirseren et al), 2003;51:419 (Case report)
implantable baclofen pump as an adjuvant in treatment of pressure sores (Mess et al), 2003;51:465
regenerative surgery for sacral pressure ulcers using collagen matrix substitute dermis (artificial dermis) (Ichioka et al), 2003;51:383
- Prognostic factors**
predicting the risk of reoperation in metopic synostosis: a quantitative CT scan analysis (Paige et al), 2003;51:167
tendon function after replantation: prognostic factors and strategies to enhance total active motion (Ross et al), 2003;51:141
- Pubic hair**
long-term follow-up and unusual findings after microvascular transfer of hair-bearing skin for pubic hair restoration (Chen et al), 2003;51:627
-
- Q**
-
- Quality of care**
quality analysis of bilateral reduction mammoplasty using a state-legislated comparative database and an internal hospital-based system (Chung et al), 2003;51:446
-
- R**
-
- Rabbit**
comparison of venous drainage in reverse-flow island flaps: an experimental study of the rabbit saphenous fasciocutaneous flap (Chang et al), 2003;51:177
full-thickness abdominal wall reconstruction in the rabbit model (Disa), 2003;51:110 (Invited discussion)
regeneration of the mandibular head from grafted periosteum (Ueno et al), 2003;51:77
stabilized autologous fibrin-chondrocyte constructs for cartilage repair in vivo (Fussenecker et al), 2003;51:493
- Radiation therapy**
distal trapezius musculocutaneous flap for upper thoracic back wounds associated with spinal instrumentation and radiation (Chun et al), 2003;51:17
- Rat**
effect of hyperbaric oxygen on ischemia-reperfusion injury: experimental study in a rat musculocutaneous flap (Hong et al), 2003;51:478
in vivo tracking of rat preadipocytes after autologous transplantation (Rieck et al), 2003;51:294
late remote ischemic preconditioning in rat muscle and adipocutaneous flap models (Küntschner et al), 2003;51:84
microcirculatory hemodynamics of the rat cremaster muscle flap in reduced blood flow states (Nanhekan et al), 2003;51:182
new experimental flap model: free muscle perforator flap (Özkan et al), 2003;51:603
porcine small intestinal submucosa as a carrier for skin flap prefabrication (Zhang et al), 2003;51:488
venous "supercharging" augments survival of the delayed rat TRAM flap (Sano et al), 2003;51:398
vertical midline scar is a high-risk factor for maximum survival of the rat TRAM flap (Sano et al), 2003;51:403

Rectal tumors

reconstruction after extirpation of sacral malignancies (Diaz et al), 2003;51:126

Rectus abdominis muscle

modification of the vertical rectus abdominis myocutaneous (VRAM) flap for functional reconstruction of complex vulvoperineal defects (Hui et al), 2003;51:556

randomized, double-blind trial of dolasetron versus droperidol for prophylaxis of postoperative nausea and vomiting in patients undergoing TRAM flap breast reconstruction surgery (Loewen et al), 2003;51:472

reconstruction of an extensive thigh defect with the paraumbilical TRAM flap (Senchenkov et al), 2003;51:91 (Case report)

regional differences in ultrasonic assessment of subcutaneous fat thickness in the abdomen: effects on the TRAM flap (Yano et al), 2003;51:130

sternal wound debridement and muscle flap reconstruction: functional implications (Netscher et al), 2003;51:115

sternal wound debridement and muscle flap reconstruction (Nahabedian), 2003;51:123 (Invited discussion)

supercharged TRAM flaps can be a worthwhile procedure! (Ali et al), 2003;51:221 (Letter)

two-stage reconstruction of infected deep median sternotomy wound with an intercostal pedicled oblique rectus abdominis musculocutaneous flap after coronary artery bypass grafting (Mochizuki et al), 2003;51:423 (Case report)

vaginal reconstruction using a modified rectus abdominis musculocutaneous flap in pelvic cancer surgery (Ruiz-de-Erenchum et al), 2003;51:455

venous "supercharging" augments survival of the delayed rat TRAM flap (Sano et al), 2003;51:398

vertical midline scar is a high-risk factor for maximum survival of the rat TRAM flap (Sano et al), 2003;51:403

Reflectance photoplethysmograph

initial experience with personal digital assistant-based reflectance photoplethysmograph for free tissue transfer monitoring (Stack et al), 2003;51:136

Reoperation and revision procedures

predicting the risk of reoperation in metopic synostosis: a quantitative CT scan analysis (Paige et al), 2003;51:167

revision augmentation mastopexy: indications, operations, and outcomes (Spear et al), 2003;51:540

Replantation

long-term results of replantation for complete

ring avulsion amputations (Adani et al), 2003;51:564

long-term results of replantation for complete ring avulsion amputations (Chung), 2003;51:569 (Invited discussion)

Re: osteosynthesis in digital replantation using bioabsorbable rods (Meed et al), 2003;51:526 (Letter)

tendon function after replantation: prognostic factors and strategies to enhance total active motion (Ross et al), 2003;51:141

Retractors

improving recipient vessel exposure during microvascular breast reconstruction (Mehra et al), 2003;51:361

inexpensive self-retaining retractor for minor surgical procedures (Pearl et al), 2003;51:633

Rhinoplasty. See Also Nose

augmentation rhinoplasty of the Asian nose with the "bird" silicone implant (Lam et al), 2003;51:249

effect of steroids on edema, ecchymosis, and intraoperative bleeding in rhinoplasty (Kargi et al), 2003;51:570

Rhytidoplasty

facial nerve in rhytidoplasty: anatomic study of its trajectory in the overlying skin and the most common sites of injury (Zani et al), 2003;51:236

Ring avulsion injury

long-term results of replantation for complete ring avulsion amputations (Adani et al), 2003;51:564

long-term results of replantation for complete ring avulsion amputations (Chung), 2003;51:569 (Invited discussion)

S**Sacral region**

reconstruction after extirpation of sacral malignancies (Diaz et al), 2003;51:126

regenerative surgery for sacral pressure ulcers using collagen matrix substitute dermis (artificial dermis) (Ichioka et al), 2003;51:383

Safety issues

incidence and severity of short-term complications after breast augmentation (Henriksen et al), 2003;51:531

is it safe to combine abdominoplasty with other dermolipectomy procedures to correct skin excess after weight loss? (Gmür et al), 2003;51:353

ligated punctured expanders: are they clinically safe? (Aslan et al), 2003;51:224 (Letter)

suction lipectomy during flap reconstruction provides immediate and safe debulking of the skin island (Mowlavi et al), 2003;51:189 (Case report)

Trilucent breast implants: five years'

experience from an Italian perspective (Cicchetti et al), 2003;51:229

Saphenous vein

comparison of venous drainage in reverse-flow island flaps: an experimental study of the rabbit saphenous fasciocutaneous flap (Chang et al), 2003;51:177

Scars

flashlamp-pumped pulsed dye laser (585 nm) treatment of hypertrophic scars in Asians (Kono et al), 2003;51:366

vertical midline scar is a high-risk factor for maximum survival of the rat TRAM flap (Sano et al), 2003;51:403

Scrotum

use of the scrotal remnant as a tissue-expanding musculocutaneous flap for scrotal reconstruction in Paget's disease (Por et al), 2003;51:155

Semmes-Weinstein nylon monofilaments

sensibility of the breast after reduction mammoplasty (Dellon), 2003;51:6 (Invited discussion)

Sensation

sensibility of the breast after reduction mammoplasty (Dellon), 2003;51:6 (Invited discussion)

sensibility of the breast after reduction mammoplasty (Ferreira et al), 2003;51:1

Sentinel lymphadenectomy

superficial femoral lymph node dissection after positive sentinel lymphadenectomy for early-stage melanoma of the lower extremity (Pu et al), 2003;51:69

Silicone

augmentation rhinoplasty of the Asian nose with the "bird" silicone implant (Lam et al), 2003;51:249

frequency and distribution of talc contamination in patients with silicone gel-filled breast implants (Chandler et al), 2003;51:358

Re: Invited discussion of silicone gel breast implant failure: evaluation of properties of shells and gels for explanted prostheses and meta-analysis of literature rupture data (Goldberg et al), 2003;51:334 (Letter)

silicone gel breast implant rupture presenting as a fluctuant back mass after latissimus dorsi breast reconstruction (Baack et al), 2003;51:415 (Case report)

use of silicone block as a pellet in the treatment of minor malocclusion (Ergün), 2003;51:225 (Letter)

Skin excess

is it safe to combine abdominoplasty with other dermolipectomy procedures to correct skin excess after weight loss? (Gmür et al), 2003;51:353

Skin flaps. See Flaps, fasciocutaneous; Flaps, musculocutaneous; Flaps, skin

Skin grafts

human skin allograft used to treat open

- wounds after club foot release (Rockwell et al), 2003;51:593
- Re: modification of split-thickness skin graft (Demirtas et al), 2003;51:223 (Letter)
- reconstruction of fingertip and stump using a composite graft from the hypothenar region (Hong et al), 2003;51:57
- Skin necrosis**
- cutaneous manifestation of antiphospholipid antibody syndrome (DiFrancesco et al), 2003;51:517 (Case report)
- Skull**
- predicting the risk of reoperation in metopic synostosis: a quantitative CT scan analysis (Paige et al), 2003;51:167
- Re: a simple method for cranial bone chip harvesting (Çelik), 2003;51:434 (Letter)
- tension-induced reduction in connexin 43 expression in cranial sutures is linked to transcriptional regulation by TBX2 (Borke et al), 2003;51:499
- Soft-tissue defects**
- advantages of the presence of living dermal fibroblasts within Restylane for soft tissue augmentation, 2003;51:587
- free perforator flap for the treatment of defects after resection of huge arteriovenous malformations in the head and neck regions (Koshima et al), 2003;51:194 (Case report)
- free tissue transfer: an advanced strategy for postinfection soft-tissue defects in the upper extremity (Koschnick et al), 2003;51:147
- reconstruction after extirpation of sacral malignancies (Diaz et al), 2003;51:126
- reconstruction of an extensive thigh defect with the paramedian TRAM flap (Senchenkov et al), 2003;51:91 (Case report)
- reconstruction of combined defects of the Achilles tendon and the overlying soft tissue with a fascia lata graft and a free fasciocutaneous lateral arm flap (Haas et al), 2003;51:376
- regenerative surgery for sacral pressure ulcers using collagen matrix substitute dermis (artificial dermis) (Ichioka et al), 2003;51:383
- soft-tissue reconstruction using a free anterolateral thigh flap: experience with 28 patients (Yildirim et al), 2003;51:37
- Soft-tissue shaving**
- soft-tissue shaving procedure for deformity management of chronic tophaceous gout (Lee et al), 2003;51:372
- Spasticity**
- implantable baclofen pump as an adjuvant in treatment of pressure sores (Mess et al), 2003;51:465
- Spinal cord injury**
- autonomic dysreflexia: a plastic surgery primer (Curtin et al), 2003;51:325 (Review article)
- Spinal surgery**
- distal trapezius musculocutaneous flap for upper thoracic back wounds associated with spinal instrumentation and radiation (Chun et al), 2003;51:17
- Submucous fibrosis**
- total oral reconstruction for cancers associated with advanced oral submucous fibrosis (Cunha-Gomes et al), 2003;51:283
- Sutures, cranial**
- predicting the risk of reoperation in metopic synostosis: a quantitative CT scan analysis (Paige et al), 2003;51:167
- tension-induced reduction in connexin 43 expression in cranial sutures is linked to transcriptional regulation by TBX2 (Borke et al), 2003;51:499
- T**
- Talc**
- frequency and distribution of talc contamination in patients with silicone gel-filled breast implants (Chandler et al), 2003;51:358, 2003
- TBX2**
- tension-induced reduction in connexin 43 expression in cranial sutures is linked to transcriptional regulation by TBX2 (Borke et al), 2003;51:499
- Temporal bone**
- clinical, radiological, and audiological relationships in hemifacial microsomia (Wan et al), 2003;51:161
- Temporal dermoids**
- three cases and a modified treatment algorithm (Lacey et al), 2003;51:103 (Case report)
- Temporalis muscle**
- orbital reconstruction after exenteration with the whole transorbital temporalis muscle flap (Shipkov et al), 2003;51:527 (Letter)
- Temporoparietal fascial flap**
- eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Motomura et al), 2003;51:314 (Case report)
- eyebrow reconstruction with intermediate hair from the hairline of the forehead on the pedicled temporoparietal fascial flap (Vogel), 2003;51:319 (Invited discussion)
- Tendons**
- reconstruction of combined defects of the Achilles tendon and the overlying soft tissue with a fascia lata graft and a free fasciocutaneous lateral arm flap (Haas et al), 2003;51:376
- tendon function after replantation: prognostic factors and strategies to enhance total active motion (Ross et al), 2003;51:141
- Tensor fascia lata**
- abdominal wall reconstruction with the free tensor fascia lata musculofasciocutaneous flap using intraperitoneal gastroepiploic recipient vessels (Chevray et al), 2003;51:97 (Case report)
- hatchet-shaped tensor fascia lata musculocutaneous flap for coverage of trochanteric pressure sores: a new modification (Demirseren et al), 2003;51:419 (Case report)
- reconstruction of combined defects of the Achilles tendon and the overlying soft tissue with a fascia lata graft and a free fasciocutaneous lateral arm flap (Haas et al), 2003;51:376
- Thigh**
- reconstruction of an extensive thigh defect with the paramedian TRAM flap (Senchenkov et al), 2003;51:91 (Case report)
- Thigh flaps**
- medial circumflex femoral_{GRACILIS} local perforator flap—a local medial groin perforator flap (Hallock), 2003;51:460
- new anterolateral thigh perforator flap with a short pedicle for reconstruction of defects in the upper extremities (Koshima et al), 2003;51:30
- soft-tissue reconstruction using a free anterolateral thigh flap: experience with 28 patients (Yildirim et al), 2003;51:37
- Thoracic spine**
- distal trapezius musculocutaneous flap for upper thoracic back wounds associated with spinal instrumentation and radiation (Chun et al), 2003;51:17
- Thoracodorsal artery**
- thoracodorsal artery perforator flap: anatomic basis and clinical application (Heitmann et al), 2003;51:23
- Thrombolysis**
- management strategy for compartment syndrome of the upper extremity arising during anticoagulation or thrombolytic therapy: an increasingly common surgical dilemma (Newman et al), 2003;51:308 (Case report)
- Thumb**
- the inadequate index finger (Upton), 2003;51:611 (Invited discussion)
- two case reports of pollicization of a previously syndactylized index finger for congenitally absent thumb (Netscher et al), 2003;51:607
- Tips & techniques**
- correction of inverted nipple: alternative method using two triangular areolar dermal flaps (Kim et al), 2003;51:637 (Tips & techniques)
- double opposing V-Y hinge flap (Yabe et al), 2003;51:643 (Tips & techniques)
- Tissue engineering**
- acellularization of human placenta with

preservation of the basement membrane: potential matrix for tissue engineering (Hopper et al), 2003;51:598

Tissue expansion

ligated punctured expanders: are they clinically safe? (Aslan et al), 2003;51:224 (Letter)

use of the scrotal remnant as a tissue-expanding musculocutaneous flap for scrotal reconstruction in Paget's disease (Por et al), 2003;51:155

Tissue perfusion. *See also* Blood supply

effect of hyperbaric oxygen on ischemia-reperfusion injury: experimental study in a rat musculocutaneous flap (Hong et al), 2003;51:478

initial experience with personal digital assistant-based reflectance photoplethysmograph for free tissue transfer monitoring (Stack et al), 2003;51:136

Tophi

soft-tissue shaving procedure for deformity management of chronic tophaceous gout (Lee et al), 2003;51:372

Transsexualism

ninety percent permanent hair reduction in transsexual patients (Schroeter et al), 2003;51:243

Transverse rectus abdominis

musculocutaneous (TRAM) flap

randomized, double-blind trial of dolasetron versus droperidol for prophylaxis of postoperative nausea and vomiting in patients undergoing TRAM flap breast reconstruction surgery (Loewen et al), 2003;51:472

reconstruction of an extensive thigh defect with the paramedian TRAM flap (Senchenkov et al), 2003;51:91 (Case report)

regional differences in ultrasonic assessment of subcutaneous fat thickness in the abdomen: effects on the TRAM flap (Yano et al), 2003;51:130

supercharged TRAM flaps can be a worthwhile procedure! (Ali et al), 2003;51:221 (Letter)

venous "supercharging" augments survival of the delayed rat TRAM flap (Sano et al), 2003;51:398

vertical midline scar is a high-risk factor for maximum survival of the rat TRAM flap (Sano et al), 2003;51:403

Trapezius muscle

distal trapezius musculocutaneous flap for upper thoracic back wounds associated with spinal instrumentation and radiation (Chun et al), 2003;51:17

Trauma care

review of emergency department fluid resuscitation of burn patients transferred to a regional, verified burn center (Hagstrom

et al), 2003;51:173

Trilucent breast implants

five years' experience from an Italian perspective (Cicchetti et al), 2003;51:229

Trochanteric region

hatchet-shaped tensor fascia lata musculocutaneous flap for coverage of trochanteric pressure sores: a new modification (Demirseren et al), 2003;51:419 (Case report)

U

Ultrasound

regional differences in ultrasonic assessment of subcutaneous fat thickness in the abdomen: effects on the TRAM flap (Yano et al), 2003;51:130

review of mechanical adjuncts in wound healing: hydrotherapy, ultrasound, negative pressure therapy, hyperbaric oxygen, and electrostimulation (Hess et al), 2003;51:210

Upper extremity. *See also* Fingers; Hand and wrist

free tissue transfer: an advanced strategy for postinfection soft-tissue defects in the upper extremity (Koschnick et al), 2003;51:147

management strategy for compartment syndrome of the upper extremity arising during anticoagulation or thrombolytic therapy: an increasingly common surgical dilemma (Newman et al), 2003;51:308 (Case report)

new anterolateral thigh perforator flap with a short pedicle for reconstruction of defects in the upper extremities (Koshima et al), 2003;51:30

obstetric brachial plexus palsy associated with breech delivery (Al-Qattan), 2003;51:257

obstetric brachial plexus palsy associated with breech delivery (Clarke), 2003;51:265 (Invited discussion)

soft-tissue reconstruction using a free anterolateral thigh flap: experience with 28 patients (Yildirim et al), 2003;51:37

treatment of painful neuroma by resection and nerve stump transplantation into a vein (Koch et al), 2003;51:45

V-Y advancement island flap based on the perforator of the anterior interosseous artery (Akin), 2003;51:51

V

V-Y flaps. *See* Flaps, V-Y

Vaginal reconstruction

new method for vaginal reconstruction using a pedicled jejunal flap (Chen et al), 2003;51:429 (Case report)

vaginal reconstruction using a modified

rectus abdominis musculocutaneous flap in pelvic cancer surgery (Ruiz-de-Erenchum et al), 2003;51:455

Vertical rectus abdominis myocutaneous (VRAM) flap

modification of the vertical rectus abdominis myocutaneous (VRAM) flap for functional reconstruction of complex vulvoperineal defects (Hui et al), 2003;51:556

Vulvoperineal reconstruction

modification of the vertical rectus abdominis myocutaneous (VRAM) flap for functional reconstruction of complex vulvoperineal defects (Hui et al), 2003;51:556

Re: vulvoperineal reconstruction (Peled), 2003;51:222 (Letter)

W

Wound management

accelerated diabetic wound healing using cultured dermal fibroblasts retrovirally transduced with the platelet-derived growth factor B gene (Breitbart et al), 2003;51:409

dressings for alveolopalatal wounds after alveolar bone grafting (Kondoh et al), 2003;51:290

effect of body mass index and wound irrigation on outcome after bilateral breast reduction (Platt et al), 2003;51:552

free tissue transfer: an advanced strategy for postinfection soft-tissue defects in the upper extremity (Koschnick et al), 2003;51:147

human skin allograft used to treat open wounds after club foot release (Rockwell et al), 2003;51:593

a minimalist approach to the care of the indwelling closed suction drain: prospective analysis of local wound complications (Reid et al), 2003;51:575

review of mechanical adjuncts in wound healing: hydrotherapy, ultrasound, negative pressure therapy, hyperbaric oxygen, and electrostimulation (Hess et al), 2003;51:210

sternal wound debridement and muscle flap reconstruction: functional implications (Netscher et al), 2003;51:115

sternal wound debridement and muscle flap reconstruction (Nahabedian), 2003;51:123 (Invited discussion)

two-stage reconstruction of infected deep median sternotomy wound with an intercostal pedicled oblique rectus abdominis musculocutaneous flap after coronary artery bypass grafting (Mochizuki et al), 2003;51:423 (Case report)

Wounds, surgical

distal trapezius musculocutaneous flap for upper thoracic back wounds associated

with spinal instrumentation and radiation
(Chun et al), 2003;51:17
sternal wound debridement and muscle flap
reconstruction: functional implications
(Netscher et al), 2003;51:115
sternal wound debridement and muscle flap

reconstruction (Nahabedian), 2003;51:123
(Invited discussion)
two-stage reconstruction of infected deep
median sternotomy wound with an
intercostal pedicled oblique rectus
abdominis musculocutaneous flap after

coronary artery bypass grafting
(Mochizuki et al), 2003;51:423 (Case
report)
Wrist. *See* Hand and wrist